

Potentials for monitoring gene level biodiversity: using Sweden as an example

**Linda Laikre · Lena C. Larsson · Anna Palmé ·
Johan Charlier · Melanie Josefsson · Nils Ryman**

Reference list S1 Molecular genetic studies of natural Swedish populations found to be published as of August 2006

www.zoologi.su.se/research/popgen/monitoring

Linda Laikre (✉) · Lena C. Larsson · Anna Palmé · Johan Charlier · Nils Ryman
Division of Population Genetics, Department of Zoology, Stockholm University,
106 91 Stockholm, Sweden
e-mail: Linda.Laikre@popgen.su.se

Melanie Josefsson
Department of Environmental Monitoring and Assessment, Swedish Environmental Protection Agency,
P.O. Box 7050, 750 07 Uppsala, Sweden

Reference list S1 Molecular genetic studies of natural Swedish populations found to be published as of August 2006.

1. Adams, R.P., Pandey, R.N., Leverenz, J.W., Dignard, N., Hoegh, K., and Thorfinnsson, T. 2003. Pan-Arctic variation in *Juniperus communis*: historical biogeography based on DNA fingerprinting. *Biochemical Systematics and Ecology* 31, 181-192.
2. Agerberg, A. and Jansson, H. 1995. Allozymic comparisons between three subspecies of the freshwater crayfish *Pacifastacus leniusculus* (Dana), and between populations introduced to Sweden. *Hereditas* 122, 33-39.
3. Alaranta, A., Henttonen, P., Jussila, J., Kokko, H., Prestegard, T., Edsman, L., and Halmekyto, M. 2006. Genetic differences among noble crayfish (*Astacus astacus*) stocks in Finland, Sweden and Estonia based on the ITS1 region. *Bulletin Francais de la Peche et de la Pisciculture*, 965-975.
4. Alexandersson, R. and Ågren, J. 2000. Genetic structure in the nonrewarding, bumblebee-pollinated orchid *Calypso bulbosa*. *Heredity* 85, 401-409.
5. Allendorf, F.W., Ryman, N., Stennek, A., and Ståhl, G. 1976. Genetic variation in Scandinavian brown trout (*Salmo trutta* L.): Evidence of distinct sympatric populations. *Hereditas* 83, 73-82.
6. Allendorf, F.W., Mitchell, N., Ryman, N., and Ståhl, G. 1977. Isozyme loci in brown trout (*Salmo trutta* L.): Detection and interpretation from population data. *Hereditas* 86, 179-190.
7. Allendorf, F.W., Ståhl, G., and Ryman, N. 1984. Silencing of duplicate genes: A null allele polymorphism for lactate dehydrogenase in brown trout (*Salmo trutta*). *Molecular Biology and Evolution* 1, 238-248.
8. Alström-Rapaport, C. and Leskinen, E. 2002. Development of microsatellite markers in the green algae *Enteromorpha intestinalis* (Chlorophyta). *Molecular Ecology Notes* 2, 581-583.
9. Andersen, L.W., Ruzzante, D., Walton, M., Berggren, P., Bjørge, A., and Lockyer, C. 2001. Conservation genetics of harbour porpoises, *Phocoena phocoena*, in eastern and central North Atlantic. *Conservation Genetics* 2, 309-324.
10. Andersson-Ceplitis, H. 2002. Evolutionary dynamics of mitochondrial plasmids in natural populations of *Silene vulgaris*. *Evolution* 56, 1592-1598.
11. Andersson, A.-C., Thulin, C.-G., and Tegelström, H. 1999. Applicability of rabbit microsatellite primers for studies of hybridisation between an introduced and a native hare species. *Hereditas* 130, 309-315.
12. Andersson, A.-C., Narain, Y., Tegelström, H., and Fredga, K. 2004. No apparent reduction of gene flow in a hybrid zone between the West and North European karyotypic groups of the common shrew, *Sorex araneus*. *Molecular Ecology* 13, 1205-1215.
13. Andersson, A.-C. 2004. *Postglacial population history of the common shrew (Sorex araneus) in Fennoscandia: molecular studies of recolonisation, sex-biased gene flow and the formation of chromosome races*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
14. Andersson, A.-C., Alström-Rapaport, C., and Fredga, K. 2005. Lack of mitochondrial DNA divergence between chromosome races of the common shrew, *Sorex araneus*, in

- Sweden. Implications for interpreting chromosomal evolution and colonization history. *Molecular Ecology* 14, 2703-2716.
15. Andersson, L., Ryman, N., Rosenberg, R., and Ståhl, G. 1981. Genetic variability in Atlantic herring *Clupea harengus harengus*: description of protein loci and population data. *Hereditas* 95, 69-78.
 16. Andersson, L., Ryman, N., and Ståhl, G. 1983. Protein loci in the arctic charr, *Salvelinus alpinus* L.: Electrophoretic expression and genetic variability patterns. *Journal of Fish Biology* 23, 75-94.
 17. André, C., Arrhenius, F., Envall, M., and Sundberg, P. 2001. Microsatellite polymorphism and population genetic structure of Atlantic herring in the Baltic and adjacent seas. In: *Herring: Expectations for a New Millennium*. Funk, F., Blackburn, J., Hay, D., and et al. (eds.), University of Alaska Sea Grant, AK-SG-01-04, Fairbanks, Alaska, pp. 611-613.
 18. Appelgren, L. and Cronberg, N. 1999. Genetic and morphological variation in the rare epiphytic moss *Neckera pennata* Hedw. *Journal of Bryology* 21, 97-107.
 19. Aprahamian, M.W., Bagliniere, J.-L., Sabatie, M.R., Alexandrino, P., Thiel, R., and Aprahamian, C.D. 2003. Biology, status, and conservation of the anadromous Atlantic twaite shad *Alosa fallax fallax*. In: *Biodiversity, status, and conservation of the world's shads*. Limburg, K.E. and Waldman, J.R. (eds.), American Fisheries Society, pp. 103-124.
 20. Arrendal, J., Walker, C.W., Sundqvist, A.K., Hellborg, L., and Vilà, C. 2004. Genetic evaluation of an otter translocation program. *Conservation Genetics* 5, 79-88.
 21. Arup, U. 2004. Three overlooked *Lecidea* species in Sweden. *Acta Universitatis Upsaliensis Symbolae Botanicae Upsalienses* 34, 39-48.
 22. Athanasiadis, A. and Rueness, J. 1992. Biosystematic studies of the genus *Scagelia* Rhodophyta Ceramiales from Scandinavia: genetic variation life histories and chromosome numbers. *Phycologia* 31, 1-15.
 23. Ayasse, M., Leys, R., Pamilo, P., and Tengo, J. 1990. Kinship in communally nesting *Andrena* (Hymenoptera: Andrenidae) bees is indicated by composition of Dufour's gland secretions. *Biochemical Systematics and Ecology* 18, 453-460.
 24. Baccus, R., Ryman, N., Smith, M.H., Reuterwall, C., and Cameron, D. 1983. Genetic variability and differentiation of large grazing mammals. *Journal of Mammalogy* 64, 109-120.
 25. Backström, N., Qvarnström, A., Gustafsson, L., and Ellegren, H. 2006. Levels of linkage disequilibrium in a wild bird population. *Biology Letters* 2, 435-438.
 26. Backström, N., Brandström, M., Gustafsson, L., Qvarnström, A., Cheng, H., and Ellegren, H. 2006. Genetic mapping in a natural population of collared flycatchers (*Ficedula albicollis*): Conserved synteny but gene order rearrangements on the avian Z chromosome. *Genetics* 174, 377-386.
 27. Bauert, M.R. 1994. A preliminary investigation on the genetic variability of relict ice-age populations of *Saxifraga cernua*. *Botanica Helvetica* 104, 215-220.
 28. Bauert, M.R. 1996. Genetic diversity and ecotypic differentiation in arctic and alpine populations of *Polygonum viviparum*. *Arctic and Alpine Research* 28, 190-195.
 29. Baur, B. and Klemm, M. 1989. Absence of isozyme variation in geographically isolated populations of the land snail *Chondrina clienta*. *Heredity* 63, 239-244.

30. Bekkevold, D., André, C., Dahlgren, T.G., Clausen, L.A.W., Torstensen, E., Mosegaard, H., Carvalho, G.R., Christensen, T.B., Norlinder, E., and Ruzzante, D.E. 2005. Environmental correlates of population differentiation in Atlantic herring. *Evolution* 59, 2656-2668.
31. Bellemain, E., Swenson, J.E., Tallmon, O., Brunberg, S., and Taberlet, P. 2005. Estimating population size of elusive animals with DNA from hunter-collected feces: Four methods for brown bears. *Conservation Biology* 19, 150-161.
32. Bengtsson, B.O., Weibull, P., and Ghatnekar, L. 1995. The loss of alleles by sampling: A study of the common outbreeding grass *Festuca ovina* over three geographic scales. *Hereditas* 122, 221-238.
33. Bensch, S. and Hasselquist, D. 1999. Phylogeographic population structure of great reed warblers: an analysis of mtDNA control region sequences. *Biological Journal of the Linnean Society* 66, 171-185.
34. Bensch, S., Andersson, T., and Åkesson, S. 1999. Morphological and molecular variation across a migratory divide in willow warblers, *Phylloscopus trochilus*. *Evolution* 53, 1925-1935.
35. Bensch, S., Åkesson, S., and Irwin, D.E. 2002. The use of AFLP to find an informative SNP: genetic differences across a migratory divide in willow warblers. *Molecular Ecology* 11, 2359-2366.
36. Bensch, S., Irwin, D.E., Irwin, J.H., Kvist, L., and Åkesson, S. 2006. Conflicting patterns of mitochondrial and nuclear DNA diversity in *Phylloscopus* warblers. *Molecular Ecology* 15, 161-171.
37. Berg, D.J. and Garton, D.W. 1994. Genetic differentiation in North American and European populations of the cladoceran *Bythotrephes*. *Limnology and Oceanography* 39, 1503-1516.
38. Berglund, A. and Lagercrantz, U. 1983. Genetic differentiation in populations of two *Palaemon* prawn species at the Atlantic east coast: Does gene flow prevent local adaptation? *Marine Biology* 77, 49-57.
39. Berglund, A.B.N., Saura, A., and Westerbergh, A. 2001. Genetic differentiation of a polyploid plant on ultramafic soils in Fennoscandia. *South African Journal of Science* 97, 533-535.
40. Berglund, A.B.N. and Westerbergh, A. 2001. Two postglacial immigration lineages of the polyploid *Cerastium alpinum* (Caryophyllaceae). *Hereditas* 134, 171-183.
41. Bergmann, F. 1973. Genetic investigations on *Picea abies* with the aid of iso-enzyme identification. III. Geographical variation at two esterase and two leucine-aminopeptidase loci in the Swedish spruce populations. *Silvae Genetica* 22, 63-66.
42. Bergström, L., Tatarenkov, A., Johannesson, K., Jönsson, R.B., and Kautsky, L. 2005. Genetic and morphological identification of *Fucus radicans* sp Nov (Fucales, Phaeophyceae) in the brackish Baltic Sea. *Journal of Phycology* 41, 1025-1038.
43. Bermingham, E., Forbes, S.H., Friedland, K., and Pla, C. 1991. Discrimination between Atlantic salmon (*Salmo salar*) of North-American and European origin using restriction analyses of mitochondrial-DNA. *Canadian Journal of Fisheries and Aquatic Sciences* 48, 884-893.
44. Bernatchez, L., Guyomard, R., and Bonhomme, F. 1992. DNA sequence variation of the mitochondrial control region among geographically and morphologically remote European brown trout *Salmo trutta* populations. *Molecular Ecology* 1, 161-173.

45. Bernatchez, L. 2001. The evolutionary history of brown trout (*Salmo trutta* L.) inferred from phylogeographic, nested clade, and mismatch analyses of mitochondrial DNA variation. *Evolution* 55, 351-379.
46. Beye, M., Neumann, P., Chapuisat, M., Pamilo, P., and Moritz, R.F.A. 1998. Nestmate recognition and the genetic relatedness of nests in the ant *Formica pratensis*. *Behavioral Ecology and Sociobiology* 43, 67-72.
47. Bilton, D.T. 1992. Genetic population structure of the postglacial relict diving beetle *Hydroporus glabriusculus* Aube Coleoptera Dytiscidae. *Heredity* 69, 503-511.
48. Black-Samuelsson, S. 1997. *Genetic variation and phenotypic plasticity in the rare plant species Vicia pisiformis L. and V. dumetorum L. (Fabaceae)*. PhD thesis, Swedish University of Agricultural Sciences, Uppsala, Sweden. Acta Universitatis agriculturae Sueciae. Silvestria 30.
49. Black-Samuelsson, S., Eriksson, G., Gustafsson, L., and Gustafsson, P. 1997. RAPD and morphological analysis of the rare plant species *Vicia pisiformis* (Fabaceae). *Biological Journal of the Linnean Society* 61, 325-343.
50. Black-Samuelsson, S. and Lascoux, M. 1999. Low isozyme diversity in Nordic and central European populations of *Vicia pisiformis* and *V. dumetorum* (Fabaceae). *Nordic Journal of Botany* 19, 643-652.
51. Bodaly, R.A., Vuorinen, J., Wards, R.D., Luczynski, M., and Reist, J.D. 1991. Genetic comparisons of new and old world coregonid fishes. *Journal of Fish Biology* 38, 37-51.
52. Borgen, L. and Hultgård, U.-M. 2003. *Parnassia palustris*: a genetically diverse species in Scandinavia. *Botanical Journal of the Linnean Society* 142, 347-372.
53. Borsa, P., Blanquer, A., and Berrebi, P. 1997. Genetic structure of the flounders *Platichthys flesus* and *P. stellatus* at different geographic scales. *Marine Biology* 129, 233-246.
54. Boskovic, R., Kovacs, K.M., Hammill, M.O., and White, B.N. 1996. Geographic distribution of mitochondrial DNA haplotypes in grey seals (*Halichoerus grypus*). *Canadian Journal of Zoology-Revue Canadienne de Zoologie* 74, 1787-1796.
55. Bourke, E.A., Coughlan, J., Jansson, H., Galvin, P., and Cross, T.F. 1997. Allozyme variation in populations of Atlantic salmon located throughout Europe: diversity that could be compromised by introductions of reared fish. *ICES Journal of Marine Science* 54, 974-985.
56. Burkhardt, U. and Filser, J. 2005. Molecular evidence for a fourth species within the *Isotoma viridis* group (Insecta, Collembola). *Zoologica Scripta* 34, 177-185.
57. Burlando, B., Arillo, A., Spano, S., and Machetti, M. 1996. A study of the genetic-variability in populations of the European woodcock (*Scolopax rusticola*) by random amplification of polymorphic DNA. *Italian Journal of Zoology* 63, 31-36.
58. Cano, J.M., Laurila, A., Palo, J., and Merilä, J. 2004. Population differentiation in G matrix structure due to natural selection in *Rana temporaria*. *Evolution* 58, 2013-2020.
59. Carlsson, J. and Nilsson, J. 2000. Population genetic structure of brown trout (*Salmo trutta* L.) within a northern boreal forest stream. *Hereditas* 132, 173-181.
60. Carlsson, J. and Nilsson, J. 2001. Effects of geomorphological structures on genetic differentiation among brown trout populations in a Northern Boreal river drainage. *Transactions of the American Fisheries Society* 130, 36-45.

61. Carlsson, M., Söderberg, L., and Tegelström, H. 2004. The genetic structure of adders (*Vipera berus*) in Fennoscandia: congruence between different kinds of genetic markers. *Molecular Ecology* 13, 3147-3152.
62. Cassel, A. 2002. *Conservation biology and genetic structure of fringe populations of the scarce heath butterfly in Sweden*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
63. Ceplitis, A. 2001. Genetic and environmental factors affecting reproductive variation in *Allium vineale*. *Journal of Evolutionary Biology* 14, 721-730.
64. Chakraborty, R., Haag, M., Ryman, N., and Ståhl, G. 1982. Hierarchical gene diversity analysis and its application to brown trout population data. *Hereditas* 97, 17-21.
65. Chauvet, S., van der Velde, M., Imbert, E., Guillemin, M.L., Mayol, M., Riba, M., Smulders, M.J.M., Vosman, B., Ericson, L., Bijlsma, R., and Giles, B.E. 2004. Past and current gene flow in the selfing, wind-dispersed species *Mycelis muralis* in western Europe. *Molecular Ecology* 13, 1391-1407.
66. Chesser, R.K., Reuterwall, C., and Ryman, N. 1982. Genetic differentiation of Scandinavian moose *Alces alces* populations over short geographical distances. *Oikos* 39, 125-130.
67. Consuegra, S., De Leaniz, C.G., Serdio, A., Morales, M.G., Straus, L.G., Knox, D., and Verspoor, E. 2002. Mitochondrial DNA variation in Pleistocene and modern Atlantic salmon from the Iberian glacial refugium. *Molecular Ecology* 11, 2037-2048.
68. Coyer, J.A., Peters, A.F., Stam, W.T., and Olsen, J.L. 2003. Post-ice age recolonization and differentiation of *Fucus serratus* L. (Phaeophyceae; Fucaceae) populations in Northern Europe. *Molecular Ecology* 12, 1817-1829.
69. Coyer, J.A., Diekmann, O.E., Serrao, E.A., Procaccini, G., Milchakova, N., Pearson, G.A., Stam, W.T., and Olsen, J.L. 2004. Population genetics of dwarf eelgrass *Zostera noltii* throughout its biogeographic range. *Marine Ecology Progress Series* 281, 51-62.
70. Coyer, J.A., Hoarau, G., Oudot-Le Secq, M.P., Stam, W.T., and Olsen, J.L. 2006. A mtDNA-based phylogeny of the brown algal genus *Fucus* (Heterokontophyta; Phaeophyta). *Molecular Phylogenetics and Evolution* 39, 209-222.
71. Cronberg, N. 1989. Patterns of variation in morphological characters and isozymes in populations of *Spagnum capillifolium* (Erh.) Hedw. and *S. rubellum* Wils. from two bogs in southern Sweden. *Journal of Bryology* 15, 683-696.
72. Cronberg, N. 1994. *Genetic diversity and reproduction in Spagnum (Bryophyta): isozyme studies in S. capillifolium and related species*. PhD thesis, Systematic Botany, Lund University, Sweden.
73. Cronberg, N. 1996. Clonal structure and fertility in a sympatric population of the peat mosses, *Sphagnum rubellum* and *S. capillifolium*. *Canadian Journal of Botany* 74, 1375-1385.
74. Cronberg, N., Molau, U., and Sonesson, M. 1997. Genetic variation in the clonal bryophyte *Hylocomium splendens* at hierarchical geographical scales in Scandinavia. *Heredity* 78, 293-301.

75. Cronberg, N., Widén, B., and von Bothmer, R. 1997. Genetic diversity and phenotypic variation in marginal populations of the locally endangered species *Hordeum secalinum* (Poaceae). *Plant Systematics and Evolution* 206, 285-294.
76. Cronberg, N. 1998. Population structure and interspecific differentiation of the peat moss sister species *Sphagnum rubellum* and *S-capillifolium* (Sphagnaceae) in northern Europe. *Plant Systematics and Evolution* 209, 139-158.
77. Cronberg, N. 2000. Genetic diversity of the epiphytic bryophyte *Leucodon sciuroides* in formerly glaciated versus nonglaciated parts of Europe. *Heredity* 84, 710-720.
78. Cronberg, N. 2000. Absence of genetic variation in populations of the liverwort *Plagiochila porelloides* from northern Greece and southern Scandinavia. *Lindbergia* 25, 20-24.
79. Cronberg, N. 2002. Colonization dynamics of the clonal moss *Hylocomium splendens* on islands in a Baltic land uplift area: reproduction, genet distribution and genetic variation. *Journal of Ecology* 90, 925-935.
80. Cronberg, N. 2004. Genetic differentiation between populations of the moss *Hylocomium splendens* from low versus high elevation in the Scandinavian mountain range. *Lindbergia* 29, 64-72.
81. Cronin, M.A., Patton, J.C., Balmysheva, N., and MacNeil, M.D. 2003. Genetic variation in caribou and reindeer (*Rangifer tarandus*). *Animal Genetics* 34, 33-41.
82. Cronin, M.A., MacNeil, M.D., and Patton, J.C. 2006. Mitochondrial DNA and microsatellite DNA variation in domestic reindeer (*Rangifer tarandus tarandus*) and relationships with wild caribou (*Rangifer tarandus granti*, *Rangifer tarandus groenlandicus*, and *Rangifer tarandus caribou*). *Journal of Heredity* 97, 525-530.
83. Daemen, E., Cross, T., Ollevier, F., and Volckaert, F.A.M. 2001. Analysis of the genetic structure of European eel (*Anguilla anguilla*) using microsatellite DNA and mtDNA markers. *Marine Biology* 139, 755-764.
84. Dahle, B., Zedrosser, A., and Swenson, J.E. 2006. Correlates with body size and mass in yearling brown bears (*Ursus arctos*). *Journal of Zoology* 269, 273-283.
85. Dalén, L., Götherström, A., Tannerfeldt, M., and Angerbjörn, A. 2002. Is the endangered Fennoscandian arctic fox (*Alopex lagopus*) population genetically isolated? *Biological Conservation* 105, 171-178.
86. Dannewitz, J. and Johansson, L. 1999. Populationsgenetisk undersökning av öring från Immeln-området. Report, *FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 5 pp. (In Swedish).
87. Dannewitz, J. and Prestegaard, T. 2001. En utvärdering av utsättningarna av öring i Fjätälven. Report, *FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 7 pp. (In Swedish).
88. Dannewitz, J. and Johansson, L. 2002. En populationsgenetisk studie av öring från Åvaån, Fitunaån och Kagghamraån. Report, *FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 10 pp. (In Swedish).
89. Dannewitz, J. 2002. Populationsgenetisk undersökning av Nissanöring uppströms och nedströms dammen i Unnefors. Report, *Institute of Freshwater Research, Drottningholm, Sweden*. (In Swedish).
90. Dannewitz, J. 2002. En populationsgenetisk jämförelse mellan öring från Sommen och Långhults fiskodling. Report, *Institute of Freshwater Research, Drottningholm, Sweden*. (In Swedish).

91. Dannewitz, J., Petersson, E., Prestegaard, T., and Järvi, T. 2003. Effects of sea-ranching and family background on fitness traits in brown trout *Salmo trutta* reared under near-natural conditions. *Journal of Applied Ecology* 40, 241-250.
92. Dannewitz, J. 2003. En populationsgenetisk jämförelse mellan Siljan- och Hansjööring. *Report, FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 8 pp. (In Swedish).
93. Dannewitz, J. 2003. *Genetic and ecological consequences of fish releases: with focus on supportive breeding of brown trout Salmo trutta and translocation of european eel Anguilla anguilla*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
94. Dannewitz, J., Petersson, E., Dahl, J., Prestegaard, T., Löf, A.C., and Järvi, T. 2004. Reproductive success of hatchery-produced and wild-born brown trout in an experimental stream. *Journal of Applied Ecology* 41, 355-364.
95. Dannewitz, J., Prestegaard, T., and Bystedt, I. 2004. Karakterisering av skyddsvärda öringbestånd i Särna-Idre området samt en utvärdering av romutsättningarna i Fjätälven. *Report, FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 14 pp. (In Swedish).
96. Dannewitz, J., Prestegaard, T., and Bystedt, I. 2004. Genetisk karakterisering av harrbestånd i Oreälv och Unnån. *Report, FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 10 pp. (In Swedish).
97. Dannewitz, J., Maes, G.E., Johansson, L., Wickström, H., Volckaert, F.A.M., and Järvi, T. 2005. Panmixia in the European eel: a matter of time... *Proceedings of the Royal Society B: Biological Sciences* 272, 1129-1137.
98. Dannewitz, J. and Bystedt, I. 2006. Genetisk variation hos lax och öring från Gullspångsälven. *Report, FiskGen, Institute of Freshwater Research, Drottningholm, Sweden*. 8 pp. (In Swedish).
99. Demesure, B., Comps, B., Thiebaut, B., Barriere, G., and Letouzey, J. 1995. A genetic study of *Fagus sylvatica* L. var. *tortuosa* Pepin. *Annales des Sciences Forestieres* 52, 103-115.
100. Díaz, O., Salomon, B., and von Bothmer, R. 1999. Genetic variation and differentiation in Nordic populations of *Elymus alaskanus* (Scrib. ex Merr.) Love (Poaceae). *Theoretical and Applied Genetics* 99, 210-217.
101. Díaz, O., Salomon, B., and von Bothmer, R. 1999. Genetic diversity and structure in populations of *Elymus caninus* (L.) L. (Poaceae). *Hereditas* 131, 63-74.
102. Díaz, O., Salomon, B., and von Bothmer, R. 1999. Absence of genetic variation in Scandinavian populations of *Elymus mutabilis* (Drob.) Tzvel. (Poaceae). *Hereditas* 131, 83-86.
103. Díaz, O. 1999. *Genetic diversity in Elymus species (Triticeae) with emphasis on the Nordic region*. PhD thesis, Swedish University of Agricultural Sciences, Svalöv, Sweden. Acta Universitatis agriculturae Sueciae. Agraria 166.
104. Drotz, M.K., Saura, A., and Nilsson, A.N. 2001. The species delimitation problem applied to the *Agabus bipustulatus* complex (Coleoptera, Dytiscidae) in north Scandinavia. *Biological Journal of the Linnean Society* 73, 11-22.

105. Drotz, M.K. 2003. Speciation and mitochondrial DNA diversification of the diving beetles *Agabus bipustulatus* and *A-wollastoni* (Coleoptera, Dytiscidae) within Macaronesia. *Biological Journal of the Linnean Society* 79, 653-666.
106. Durand, J.D., Persat, H., and Bouvet, Y. 1999. Phylogeography and postglacial dispersion of the chub (*Leuciscus cephalus*) in Europe. *Molecular Ecology* 8, 989-997.
107. Ebdal, T., Berglund, B., and Ryman, N. 1981. De svenska gröngrodorna (*Rana esculenta*-komplexet). *Fauna och Flora* 76, 193-204.
108. Ebert, D., Haag, C., Kirkpatrick, M., Riek, M., Hottinger, J.W., and Pajunen, V.I. 2002. A selective advantage to immigrant genes in a *Daphnia* metapopulation. *Science* 295, 485-488.
109. Edenhamn, P. 1996. *Spatial dynamics of the European tree frog (Hyla arborea) in a heterogeneous landscape*. Swedish University of Agricultural Sciences, Department of Wildlife Ecology, Uppsala, Sweden.
110. Edenhamn, P. and Höggren, M. 1996. Is low genetic diversity associated with inbreeding depression in a northern fringe population in the European tree frog (*Hyla arborea*)? In: *Dissertation - Spatial dynamics of the European tree frog (Hyla arborea) in a heterogeneous landscape*. Edenhamn, P. (ed.), Swedish University of Agricultural Sciences, Department of Wildlife Ecology, Uppsala, Sweden, pp. 109-128.
111. Edenhamn, P., Höggren, M., and Carlson, A. 2000. Genetic diversity and fitness in peripheral and central populations of the European tree frog *Hyla arborea*. *Hereditas* 133, 115-122.
112. Edsman, L., Farris, J.S., Källersjö, M., and Prestegard, T. 2002. Genetic differentiation between noble crayfish, *Astacus astacus* (L.), populations detected by microsatellite length variation in the rDNA ITS1 region. *Bulletin Francais de la Peche et de la Pisciculture*, 691-706.
113. Ekblom, R. 2004. *Immunoecology of the great snipe (Gallinago media): mate choice, MHC variation, and humoral immunocompetence in a lekking bird*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
114. El Kassaby, Y.A., Rudin, D., and Yazdani, R. 1989. Levels of outcrossing and contamination in two *Pinus sylvestris* L. seed orchards in Northern Sweden. *Scandinavian Journal of Forest Research* 4, 41-49.
115. Ellegren, H., Andersson, L., and Wallin, K. 1991. DNA polymorphism in the moose (*Alces alces*) revealed by the polynucleotide probe (TC)_n. *Journal of Heredity* 82, 429-431.
116. Ellegren, H., Hartman, G., Johansson, M., and Andersson, L. 1993. Major histocompatibility complex monomorphism and low levels of DNA fingerprinting variability in a reintroduced and rapidly expanding population of beavers. *Proceedings of the National Academy of Sciences of the United States of America* 90, 8150-8153.
117. Ellegren, H., Mikko, S., Wallin, K., and Andersson, L. 1996. Limited polymorphism at major histocompatibility complex (MHC) loci in the Swedish moose *A. alces*. *Molecular Ecology* 5, 3-9.
118. Ellegren, H., Savolainen, P., and Rosen, B. 1996. The genetical history of an isolated population of the endangered grey wolf *Canis lupus*: A study of nuclear and

- mitochondrial polymorphisms. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 351, 1661-1669.
119. Ellegren, H., Carlson, A., and Stenberg, I. 1999. Genetic structure and variability of white-backed woodpecker (*Dendrocopos leucotos*) populations in northern Europe. *Hereditas* 130, 291-299.
 120. Ellegren, H. 1999. Inbreeding and relatedness in Scandinavian grey wolves *Canis lupus*. *Hereditas* 130, 239-244.
 121. Epperson, B.K. 2000. Spatial genetic structure and non-equilibrium demographics within plant populations. *Plant Species Biology* 15, 269-279.
 122. Eriksson, G. 2000. Gene conservation of broadleaved tree species - a Scandinavian-Baltic perspective. *Baltic Forestry* 6, 48-55.
 123. Eriksson, G., Black-Samuelsson, S., Jensen, M., Myking, T., Rusanen, M., Skrøppa, T., Vakkar, P., and Westergaard, L. 2003. Genetic variability in two tree species, *Acer platanoides* L. and *Betula pendula* Roth, with contrasting life-history traits. *Scandinavian Journal of Forest Research* 18, 320-331.
 124. Erland, S. 1995. Abundance of *Tylospora fibrillosa ectomycorrhizas* in a South Swedish spruce forest measured by RFLP analysis of the PCR-amplified rDNA ITS region. *Mycological Research* 99, 1425-1428.
 125. Evgen'ev, M.B., Lakovaara, S., Poluektova, E.V., Saura, A., and Sokolov, N.N. 1981. What is *Drosophila littoralis* Meigen? (Diptera: Drosophilidae). *Entomologica Scandinavica Supplementum* 15, 337-340.
 126. Fahleson, J., Lagercrantz, U., Hu, Q., Steventon, L.A., and Dixelius, C. 2003. Estimation of genetic variation among *Verticillium* isolates using AFLP analysis. *European Journal of Plant Pathology* 109, 361-371.
 127. Fedorov, V., Jaarola, M., and Fredga, K. 1996. Low mitochondrial DNA variation and recent colonization of Scandinavia by the wood lemming (*Myopus schisticolor*). *Molecular Ecology* 5, 557-581.
 128. Fedorov, V.B., Fredriksson, R., and Fredga, K. 1995. Genetic differentiation among populations of *Myopus schisticolor* (the wood lemming) - Isozyme variation. *Heredity* 74, 267-273.
 129. Fedorov, V.B. 1998. *Phylogeography and mitochondrial DNA diversity in arctic lemmings*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
 130. Ferguson, A., Himberg, K.M., and Svärdson, G. 1978. Systematics of the Irish pollan (*Coregonus pollan* Thompson): an electrophoretic comparison with other Holarctic Coregoninae. *Journal of Fish Biology* 12, 221-233.
 131. Ferris, C., King, R.A., Väinölä, R., and Hewitt, G.M. 1998. Chloroplast DNA recognizes three refugial sources of European oaks and suggests independent eastern and western immigrations to Finland. *Heredity* 80, 584-593.
 132. Filippucci, M.G. 1992. Allozyme variation and divergence among European, Middle-eastern, and North African species of the genus *Apodemus* (Rodentia, Muridae). *Israel Journal of Zoology* 38, 193-218.
 133. Filppula, S., Szmidt, A.E., and Muona, O. 1992. Genetic comparison between *Pinus sylvestris* L. and *P. mugo* Turra using allozymes and chloroplast DNA. *Nordic Journal of Botany* 12, 381-386.

134. Fjerdingstad, E.J., Gertsch, P.J., and Keller, L. 2003. The relationship between multiple mating by queens, within-colony genetic variability and fitness in the ant *Lasius niger*. *Journal of Evolutionary Biology* 16, 844-853.
135. Flagstad, Ø., Walker, C.W., Vilà, C., Sundqvist, A.K., Fernholm, B., Hufthammer, A.K., Wiig, O., Koyola, I., and Ellegren, H. 2003. Two centuries of the Scandinavian wolf population: patterns of genetic variability and migration during an era of dramatic decline. *Molecular Ecology* 12, 869-880.
136. Florin, A.-B. 2001. *Bottlenecks and blowflies: Speciation, reproduction and morphological variation in Lucilia*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
137. Florin, A.B. and Höglund, J. 2007. Absence of population structure of turbot (*Psetta maxima*) in the Baltic Sea. *Molecular Ecology* 16, 115-126.
138. Fredga, K. and Bergström, U. 1970. Chromosome polymorphism in the root vole (*Microtus oeconomus*). *Hereditas* 66, 145-152.
139. Fredga, K. 1973. A new chromosome race of the common shrew (*Sorex araneus*) in Sweden. *Hereditas* 73, 153-157.
140. Fredga, K., Gropp, A., Winking, H., and Frank, F. 1976. Fertile XX- and XY-type females in the wood lemming *Myopus schisticolor*. *Nature* 261, 225-227.
141. Fredga, K. and Nawrin, J. 1977. Karyotype variability in *C L.* (Insectivora, Mammalia). In: *Chromosomes today*. de la Chapelle, A. and Sorsa, M. (eds.), Elsevier/North Holland Biomedical Press, Netherlands, pp. 153-161.
142. Fredga, K., Persson, A., and Stenseth, N.C. 1980. Centric fission in *Microtus oeconomus*. A chromosome study of isolated populations in Fennoscandia. *Hereditas* 92, 209-216.
143. Fredga, K., Ims, R.A., Bondrup-Nielsen, S., and Fredriksson, R. 1986. Centric fission in *Microtus oeconomus*. A new locality in south east Norway. *Hereditas* 105, 169-170.
144. Fredga, K., Fredriksson, R., Bondrup-Nielsen, S., and Ims, R.A. 1993. Sex ratio, chromosomes and isozymes in natural populations of the wood lemming (*Myopus schisticolor*). In: *The biology of lemmings*. Academic Press, United Kingdom, pp. 465-491.
145. Fredga, K. and Jaarola, M. 1997. The origin and distribution of the Lund Y chromosome in *Microtus agrestis* (Rodentia, Mammalia). *Hereditas* 126, 25-34.
146. Fredga, K. and Narain, Y. 2000. The complex hybrid zone between the Abisko and Sidensjö chromosome races of *Sorex araneus* in Sweden. *Biological Journal of the Linnean Society* 70, 285-307.
147. Frykman, I. and Bengtsson, B.O. 1984. Genetic differentiation in *Sorex*. III. Electrophoretic analysis of a hybrid zone between two karyotypic races in *Sorex araneus*. *Hereditas* 100, 259-270.
148. Frykman, I. and Simonsen, V. 1984. Genetic differentiation in *Sorex*. II. An electrophoretic comparison between *Sorex araneus* and three other shrew species. *Hereditas* 100, 155-160.
149. Frykman, I., Simonsen, V., and Bengtsson, B.O. 1984. Genetic differentiation in *Sorex*. I. Electrophoretic analysis of the karyotypic races of *Sorex araneus* in Sweden. *Hereditas* 99, 279-292.
150. Frykman, I. 1988. Breeding structure in two field vole populations. *Hereditas* 108, 41-46.

151. Furman, E. 1989. Enzyme genetic variation in *Balanus improvisus* Darwin Crustacea Cirripedia in the Baltic sea. *Ophelia* 30, 35-46.
152. Furman, E.R. 1990. Geographical variation of *Balanus improvisus* in biochemical and morphometric characters. *Journal of the Marine Biological Association of the United Kingdom* 70, 721-740.
153. Fürst, M. and Nyman, L. 1969. Isoenzyme polymorphism in *Mysis relicta* Lovén. *Report 49, Institute of Freshwater Research, Drottningholm*. 48 pp.
154. Gabrielsen, T.M., Brochmann, C., and Rueness, J. 2002. The Baltic Sea as a model system for studying postglacial colonization and ecological differentiation, exemplified by the red alga *Ceramium tenuicorne*. *Molecular Ecology* 11, 2083-2095.
155. Garkava-Gustavsson, L. 2004. Genetic diversity in lingonberry (*Ericaceae*) revealed by RAPD analysis. *Acta Horticulturae (ISHS)* 663, 621-624.
156. Garkava-Gustavsson, L., Persson, H.A., Nybom, H., Rumpunen, K., Gustavsson, B.A., and Bartish, I.V. 2005. RAPD-based analysis of genetic diversity and selection of lingonberry (*Vaccinium vitis-idaea* L.) material for *ex situ* conservation. Anonymous pp.723-735. *Genetic Resources and Crop Evolution*. 52.
157. Garnery, L., Franck, P., Baudry, E., Vautrin, D., Cornuet, J.-M., and Solignac, M. 1998. Genetic diversity of the west European honey bee (*Apis mellifera mellifera* and *A. m. iberica*). II. Microsatellite loci. *Genetics Selection Evolution* 30 (Suppl. 1), 49-74.
158. Gelter, H.P., Tegelström, H., and Ståhl, G. 1989. Allozyme similarity between the pied collared flycatchers (Aves: *Ficedula hypoleuca* and *F. albicollis*). *Hereditas* 111, 65-72.
159. Giles, B.E. and Goudet, J. 1997. Genetic differentiation in *Silene dioica* metapopulations: Estimation of spatiotemporal effects in a successional plant species. *American Naturalist* 149, 507-526.
160. Giles, B.E., Lundqvist, E., and Goudet, J. 1998. Restricted gene flow and subpopulation differentiation in *Silene dioica*. *Heredity* 80, 715-723.
161. Giulianelli, S. and Laikre, L. 1996. Mitochondrial DNA variability in otters (*Lutra lutra*). In: *Seminar on the conservation of the European otter (Lutra lutra)*. Leeuwarden, the Netherlands, 7-11 June 1994. *Environmental encounters*, No. 24. Council of Europe Publishing, Strasbourg, pp. 213-216.
162. Godhe, A., McQuoid, M.R., Karunasagar, I., Karunasagar, I., and Rehnstam-Holm, A.S. 2006. Comparison of three common molecular tools for distinguishing among geographically separated clones of the diatom *Skeletonema marinoi* Sarno et Zingone (Bacillariophyceae). *Journal of Phycology* 42, 280-291.
163. Goff-Vitry, M.C., Pybus, O.G., and Rogers, A.D. 2004. Genetic structure of the deep-sea coral *Lophelia pertusa* in the northeast Atlantic revealed by microsatellites and internal transcribed spacer sequences. *Molecular Ecology* 13, 537-549.
164. Goodall-Copestake, W.P., Hollingsworth, M.L., Hollingsworth, P.M., Jenkins, G.I., and Collin, E. 2005. Molecular markers and *ex situ* conservation of the European elms (*Ulmus* spp.). *Biological Conservation* 122, 537-546.
165. Goodman, S.J. 1998. Patterns of extensive genetic differentiation and variation among European harbor seals (*Phoca vitulina vitulina*) revealed using microsatellite DNA polymorphisms. *Molecular Biology and Evolution* 15, 104-118.

166. Goropashnaya, A. 2003. *Phylogeographic structure and genetic variation in Formica ants*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
167. Goropashnaya, A.V., Seppa, P., and Pamilo, P. 2001. Social and genetic characteristics of geographically isolated populations in the ant *Formica cinerea*. *Molecular Ecology* 10, 2807-2818.
168. Grandin, U., Lönn, M., and Rydin, H. 2002. Allozyme variation at a *PGI* locus in differently aged populations of *Moehringia trinervia* (Caryophyllaceae) in a successional area. *Nordic Journal of Botany* 22, 303-311.
169. Grant, W.S. and Ståhl, G. 1988. Description of electrophoretic loci in Atlantic cod, *Gadus morhua*, and comparison with Pacific cod, *Gadus macrocephalus*. *Hereditas* 108, 27-36.
170. Grant, W.S. and Ståhl, G. 1988. Evolution of Atlantic and Pacific cod: loss of genetic variation and gene expression in Pacific cod. *Evolution* 42, 138-146.
171. Gref, R., Moritz, T., Lindgren, D., and Gohil, S. 1993. Variation and inheritance of manoyl oxid acid in *Pinus sylvestris* (L.). *Silvae Genetica* 42, 275-278.
172. Gross, R. and Nilsson, J. 1995. Application of heteroduplex analysis for detecting variation within the growth hormone 2 gene in *Salmo trutta* L. (brown trout). *Heredity* 74, 286-295.
173. Guidot, A., Johannesson, H., Dahlberg, A., and Stenlid, J. 2003. Parental tracking in the postfire wood decay ascomycete using highly variable nuclear gene loci. *Molecular Ecology* 12, 1717-1730.
174. Gullberg, A., Tegelström, H., and Olsson, M. 1997. Microsatellites in the sand lizard (*Lacerta agilis*): Description, variation, inheritance, and applicability. *Biochemical Genetics* 35, 281-295.
175. Gullberg, A., Olsson, M., and Tegelström, H. 1998. Colonization, genetic diversity, and evolution in the Swedish sand lizard, *Lacerta agilis* (Reptilia, Squamata). *Biological Journal of the Linnean Society* 65, 257-277.
176. Gullberg, A., Olsson, M., and Tegelström, H. 1999. Evolution in populations of Swedish sand lizards: genetic differentiation and loss of variability revealed by multilocus DNA fingerprinting. *Journal of Evolutionary Biology* 12, 17-26.
177. Gullberg, U., Yazdani, R., and Rudin, D. 1982. Genetic differentiation between adjacent populations of *Pinus sylvestris*. *Silva Fennica* 16, 205-214.
178. Gullberg, U., Yazdani, R., Rudin, D., and Ryman, N. 1986. Allozyme variation in Scots pine (*Pinus sylvestris* L.) in Sweden. *Silvae Genetica* 34, 193-201.
179. Gustafsson, L. and Gustafsson, P. 1994. Low genetic variation in Swedish populations of the rare species *Vicia pisiformis* (Fabaceae) revealed with RFLP (rDNA) and RAPD. *Plant Systematics and Evolution* 189, 133-148.
180. Gustafsson, S. 2000. Patterns of genetic variation in *Gymnadenia conopsea*, the fragrant orchid. *Molecular Ecology* 9, 1863-1872.
181. Gustafsson, S. and Sjögren-Gulve, P. 2002. Genetic diversity in the rare orchid, *Gymnadenia odoratissima* and a comparison with the more common congener, *G-conopsea*. *Conservation Genetics* 3, 225-234.
182. Gustafsson, S. and Lönn, M. 2003. Genetic differentiation and habitat preference of flowering-time variants within *Gymnadenia conopsea*. *Heredity* 91, 284-292.

183. Gustafsson, S. 2003. *Population genetic analyses in the orchid genus *Gymnadenia*: a conservation genetic perspective*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
184. Gustavsson, B. A. and Persson, H. A. 2000. Genetic variation in wild collected material of lingonberry (*Vaccinium vitis-idaea* L.), pp. 42-48 in: *Proceedings of the International Conference on Berry Plants in Boreal Forests, Problems of rational utilization and reproduction of berry plants in boreal forests on the eve of the XXI century, 11-15 Sep 2000*. Forest Institute of the National Academy of Sciences of Belarus. Gomel-Glybokoye, Belarus.
185. Gydemo, R. 1978. Populationsgenetisk undersökning av röding i Västerbotten, Del 1. *Fiskenämnden och Lantbruksnämnden i Västerbottens län*. (In Swedish).
186. Gydemo, R. 1979. Populationsgenetisk undersökning av röding i Västerbotten, Del 2. *Fiskenämnden och Lantbruksnämnden i Västerbottens län*. (In Swedish).
187. Gydemo, R. 1980. Populationsgenetisk undersökning av röding i Västerbotten, Del 3. *Fiskenämnden och Lantbruksnämnden i Västerbottens län*. (In Swedish).
188. Gyllensten, U., Reuterwall, C., Ryman, N., and Ståhl, G. 1980. Geographical variation of transferrin allele frequencies in three deer species from Scandinavia. *Hereditas* 92, 237-241.
189. Gyllensten, U., Ryman, N., Reuterwall, C., and Dratch, P. 1984. Genetic differentiation in four European subspecies of red deer *Cervus elaphus*. *Heredity* 51, 561-580.
190. Gyllensten, U. 1985. Temporal allozyme frequency changes in density fluctuating populations of willow grouse (*Lagopus lagopus* L.). *Evolution* 39, 115-121.
191. Gyllensten, U. and Ryman, N. 1985. Pollution biomonitoring programs and the genetic structure of indicator species. *Ambio* 14, 29-31.
192. Gyllensten, U., Ryman, N., and Saether, T. 1985. Genetic divergence between willow grouse (*Lagopus lagopus* L.) and rock ptarmigan (*Lagopus mutus* L.) and the genetic structure of Scandinavian grouse populations. *Hereditas* 102, 47-55.
193. Gyllensten, U., Ryman, N., and Ståhl, G. 1985. Monomorphism of allozymes in perch *Perca fluviatilis*. *Hereditas* 102, 57-62.
194. Gyllensten, U. and Wilson, A. 1987. Mitochondrial DNA of salmonids: inter- and intraspecific variability detected with restriction enzymes. In: *Population Genetics and Fishery Management*. Ryman, N. and Utter, F. (eds.), Washington Sea Grant Publications/University of Washington Press, Seattle and London, pp. 301-317.
195. Gyllensten, U. and Wilson, A.C. 1987. Interspecific mitochondrial DNA transfer and the colonization of Scandinavia by mice. *Genetical Research* 49, 25-30.
196. Gyllensten, U. and Ryman, N. 1988. Biochemical genetic variation and population structure of fourhorn sculpin (*Myoxocephalus quadricornis*; Cottidae) in Scandinavia. *Hereditas* 108, 179-185.
197. Gyllenstrand, N. 2002. *Effects of social organisation on spatial genetic structures in *Formica* ants*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
198. Hailer, F. 2006. *Conservation genetics of the white-tailed eagle*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.

199. Hale, M.L., Lurz, P.W.W., and Wolff, K. 2004. Patterns of genetic diversity in the red squirrel (*Sciurus vulgaris* L.): Footprints of biogeographic history and artificial introductions. *Conservation Genetics* 5, 167-179.
200. Hamelin, R.C., Lecours, N., Hansson, P., Hellgren, M., and Laflamme, G. 1996. Genetic differentiation within the European race of *Gremmeniella abietina*. *Mycological Research* 100, 49-56.
201. Hammar, J. 1984. Ecological characters of different combinations of sympatric populations of Arctic charr in Sweden. In: *Biology of the Arctic charr. Proceeding of the International Symposium on Arctic charr, Winnipeg, Manitoba, May 1981*. Johnson, L. and Burns, B.L. (eds.), University of Manitoba Press, Winnipeg, pp. 35-63.
202. Hammar, J. and Filipsson, O. 1988. The Arctic char in Lake Stora Rensjön; A primary gene bank for future conservation in a natural reserve. *Information från Sötvattenslaboratoriet, Drottningholm 13*. (In Swedish with English summary).
203. Hansson, B., Bensch, S., Hasselquist, D., Lillandt, B.G., Wennerberg, L., and von Schantz, T. 2000. Increase of genetic variation over time in a recently founded population of great reed warblers (*Acrocephalus arundinaceus*) revealed by microsatellites and DNA fingerprinting. *Molecular Ecology* 9, 1529-1538.
204. Hansson, B., Bensch, S., Hasselquist, D., and Nielsen, B. 2002. Restricted dispersal in a long-distance migrant bird with patchy distribution, the great reed warbler. *Oecologia* 130, 536-542.
205. Hansson, M.C., Bensch, S., and Brännström, O. 2000. Range expansion and the possibility of an emerging contact zone between two subspecies of Chiffchaff *Phylloscopus collybita* ssp. *Journal of Avian Biology* 31, 548-558.
206. Hansson, P., Wang, X.R., Szmidt, A.E., and Karlman, M. 1996. RAPD variation in *Gremmeniella abietina* attacking *Pinus sylvestris* and *Pinus contorta* in northern Sweden. *European Journal of Forest Pathology* 26, 45-55.
207. Hantula, J. and Müller, M.M. 1997. Variation within *Gremmeniella abietina* in Finland and other countries as determined by random amplified microsatellites (RAMS). *Mycological Research* 101, 169-175.
208. Harkonen, T., Harding, K.C., Goodman, S.J., and Johannesson, K. 2005. Colonization history of the baltic harbor seals: Integrating archaeological, behavioral, and genetic data. *Marine Mammal Science* 21, 695-716.
209. Hassel, K., Såstad, S.M., Gunnarsson, U., and Söderström, L. 2005. Genetic variation and structure in the expanding moss *Pogonatum dentatum* (Polytrichaceae) in its area of origin and in a recently colonized area. *American Journal of Botany* 92, 1684-1690.
210. Hauser, L., Turan, C., and Carvalho, G.R. 2001. Haplotype frequency distribution and discriminatory power of two mtDNA fragments in a marine pelagic teleost (Atlantic herring, *Clupea harengus*). *Heredity* 87, 621-630.
211. Healy, J.A. and Mulcahy, M.F. 1980. A biochemical genetic analysis of populations of the northern pike *Esox lucius* from Europe and North America. *Journal of Fish Biology* 17, 317-324.
212. Hedman, H. 1997. Microsatellite polymorphisms in brown trout (*Salmo trutta*). *Swedish University of Agricultural Sciences, Aquaculture, Umeå, Sweden*. 18 pp.

213. Hedmark, E., Flagstad, Ø., Segerström, P., Persson, J., Landa, A., and Ellegren, H. 2004. DNA-based individual and sex identification from wolverine (*Gulo Gulo*) faeces and urine. *Conservation Genetics* 5, 405-410.
214. Hedmark, E. 2006. *Conservation genetics of Scandinavian wolverines*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
215. Hedmark, E. and Ellegren, H. 2006. DNA-based monitoring of two newly founded Scandinavian wolverine populations. *Conservation Genetics published online* 10.1007/s10592-006-9231-9.
216. Hedrén, M. and Prentice, H.C. 1996. Allozyme variation and racial differentiation in Swedish *Carex lepidocarpa* s.l. (Cyperaceae). *Biological Journal of the Linnean Society* 59, 179-200.
217. Hedrén, M. 1996. Genetic differentiation among Finnish, Norwegian and Swedish populations of *Carex lepidocarpa* s.lat. (Cyperaceae). *Acta Universitatis Upsaliensis Symbolae Botanicae Upsalienses* 31, 105-113.
218. Hedrén, M. 1997. Genetic variation and hybridization in Swedish *Schoenus* (Cyperaceae). *Plant Systematics and Evolution* 204, 21-37.
219. Hedrén, M. 2003. Plastid DNA variation in the *Dactylorhiza incarnata/maculata* polyploid complex and the origin of allotetraploid *D. sphagnicola* (Orchidaceae). *Molecular Ecology* 12, 2669-2680.
220. Hellborg, L., Walker, C.W., Rueness, E.K., Stacy, J.E., Kojola, I., Valdmann, H., Vilà, C., Zimmermann, B., Jakobsen, K.S., and Ellegren, H. 2002. Differentiation and levels of genetic variation in northern European lynx (*Lynx lynx*) populations revealed by microsatellites and mitochondrial DNA analysis. *Conservation Genetics* 3, 97-111.
221. Hellgren, M. 1995. Genetic variation among Scandinavian *Gremmeniella abietina* populations, pp. 181-189 in: *Proceedings of a Joint Meeting of the IUFRO Working Parties S20602 and S20604*, Vallombrosa, Firenze, Italy 6-11 June, 1994.
222. Hellsten, M.E. and Sundberg, P. 2000. Genetic variation in two sympatric European populations of *Bosmina* spp. (Cladocera) tested with RAPD markers. *Hydrobiologia* 421, 157-164.
223. Henricson, J. and Nyman, L. 1976. The ecological and genetical segregation of two sympatric species of dwarfed char (*Salvelinus alpinus* (L.) species complex). *Report, Institute of Freshwater Research, Drottningholm* 55, 15-37.
224. Henricson, J., Jansson, H., and Andersson, T. 1995. Genetisk analys av öring från Sommen. *Information från Sötvattenslaboratoriet, Drottningholm* 2, 21-28.
225. Henricson, J., Jansson, H., Ring, O., and Andersson, T. 1995. Rearing of a hatchery strain of the landlocked Gullspång salmon at Kälarne, Sweden: History, genetic characterization, and establishment of a new broodline. *Information från Sötvattenslaboratoriet, Drottningholm* 1, 1-11. (In Swedish with English summary).
226. Heuertz, M., Hausman, J.F., Hardy, O.J., Vendramin, G.G., Frascaria-Lacoste, N., and Vekemans, X. 2004. Nuclear microsatellites reveal contrasting patterns of genetic structure between western and southeastern European populations of the common ash (*Fraxinus excelsior* L.). *Evolution* 58, 976-988.
227. Hindar, K. 1986. Allele frequency variation at the EST-2 locus in Arctic charr: Is it clinal? *Hereditas* 105, 23-27.

228. Hindar, K., Ryman, N., and Ståhl, G. 1986. Genetic differentiation among local populations and morphotypes of Arctic charr, *Salvelinus alpinus*. *Biological Journal of the Linnean Society* 27, 269-285.
229. Hindar, K., Jonsson, B., Ryman, N., and Ståhl, G. 1991. Genetic relationships among landlocked, resident, and anadromous brown trout, *Salmo trutta* L. *Heredity* 66, 83-91.
230. Holm, S. 1995. Unexpectedly high levels of genetic variation in *Potentilla argentea* L. (s. l.) in southern Sweden. *Hereditas* 123, 127-139.
231. Holm, S. and Ghatnekar, L. 1996. Apomixis and sexuality in hexaploid *Potentilla argentea*. *Hereditas* 125, 53-60.
232. Holm, S., Ghatnekar, L., and Bengtsson, B.O. 1997. Selfing and outcrossing but no apomixis in two natural populations of diploid *Potentilla argentea*. *Journal of Evolutionary Biology* 10, 343-352.
233. Holmes, S.P., Witbaard, R., and van der Meer, J. 2003. Phenotypic and genotypic population differentiation in the bivalve mollusc *Arctica islandica*: results from RAPD analysis. *Marine Ecology Progress Series* 254.
234. Huang, T.S., Cerenius, L., and Söderhäll, K. 1994. Analysis of genetic diversity in the crayfish plague fungus, *Aphanomyces astaci*, by random amplification of polymorphic DNA. *Aquaculture* 126, 1-9.
235. Hubner, R., Fykse, H., Hurle, K., and Klemsdal, S.S. 2003. Morphological differences, molecular characterization, and herbicide sensitivity of catchweed bedstraw (*Galium aparine*) populations. *Weed Science* 51, 214-225.
236. Hurtado, S. 2001. *Host specificity and genetic differentiation of Melampsora epitea (rust on willows)*. PhD thesis, Swedish University of Agricultural Sciences, Uppsala, Sweden. Acta Universitatis agriculturae Sueciae. Agraria 278.
237. Hurtado, S. and Ramstedt, M. 2002. AFLP comparison of distant *Melampsora epitea* (willow rust) populations. *Mycological Research* 106, 1400-1407.
238. Hynes, R.A., Ferguson, A., and McCann, M.A. 1996. Variation in mitochondrial DNA and post-glacial colonization of north western Europe by brown trout. *Journal of Fish Biology* 48, 54-67.
239. Högberg, N., Stenlid, J., and Karlsson, J.O. 1995. Genetic differentiation in *Fomitopsis pinicola* (Schwartz: Fr.) Karst studied by means of arbitrary primed-PCR. *Molecular Ecology* 4, 675-680.
240. Högberg, N., Holdenrieder, O., and Stenlid, J. 1999. Population structure of the wood decay fungus *Fomitopsis pinicola*. *Heredity* 83, 354-360.
241. Högberg, N. and Stenlid, J. 1999. Population genetics of *Fomitopsis rosea* - a wood-decay fungus of the old-growth European taiga. *Molecular Ecology* 8, 703-710.
242. Högberg, N., Kroken, S., Thor, G., and Taylor, J.W. 2002. Reproductive mode and genetic variation suggest a North American origin of European *Letharia vulpina*. *Molecular Ecology* 11, 1191-1196.
243. Höglund, J., Morrison, D.A., Divina, B.P., Wilhelmsson, E., and Mattsson, J.G. 2003. Phylogeny of *Dictyocaulus* (lungworms) from eight species of ruminants based on analyses of ribosomal RNA data. *Parasitology* 127, 179-187.
244. Höglund, J., Engström, A., Morrison, D.A., and Mattsson, J.G. 2004. Genetic diversity assessed by amplified fragment length polymorphism analysis of the parasitic

- nematode *Dictyocaulus viviparus* the lungworm of cattle. *International Journal for Parasitology* 34, 475-484.
245. Höglund, J., Morrison, D.A., Mattsson, J.G., and Engström, A. 2006. Population genetics of the bovine/cattle lungworm (*Dictyocaulus viviparus*) based on mtDNA and AFLP marker techniques. *Parasitology* 133, 89-99.
 246. Imsland, A.K., Scanu, G., and Nævdal, G. 2003. New variants of the haemoglobins of turbot (*Scophthalmus maximus*): possible use in population genetics studies and aquaculture. *Sarsia* 88, 55-64.
 247. Ingvarsson, P.K. and Giles, B.E. 1999. Kin-structured colonization and small-scale genetic differentiation in *Silene dioica*. *Evolution* 53, 605-611.
 248. Ingvarsson, P.K., García, M.V., Hall, D., Luquez, V., and Jansson, S. 2006. Clinal variation in *phyB2*, a candidate gene for day-length-induced growth cessation and bud set, across a latitudinal gradient in European aspen (*Populus tremula*). *Genetics* 172, 1845-1853.
 249. Ives, A.R. and Whitlock, M.C. 2002. Ecology: inbreeding and metapopulations. *Science* 295, 454-455.
 250. Jaarola, M. and Tegelström, H. 1995. Colonization history of north European field voles (*Microtus agrestis*) revealed by mitochondrial DNA. *Molecular Ecology* 4, 299-310.
 251. Jaarola, M. and Tegelström, H. 1996. Mitochondrial DNA variation in the field vole (*Microtus agrestis*): Regional population structure and colonization history. *Evolution* 50, 2073-2085.
 252. Jaarola, M., Tegelström, H., and Fredga, K. 1997. A contact zone with non-coincident clines for sex-specific genetic markers in the field vole (*Microtus agrestis*). *Evolution* 51, 241-249.
 253. Jaarola, M. and Searle, J.B. 2002. Phylogeography of field voles (*Microtus agrestis*) in Eurasia inferred from mitochondrial DNA sequences. *Molecular Ecology* 11, 2613-2621.
 254. Jaenson, T.G.T., Lokki, J., and Saura, A. 1986. *Anopheles* (Diptera: Culicidae) and malaria in northern Europe, with special reference to Sweden. *Journal of Medical Entomology* 23, 68-75.
 255. Janson, K. and Ward, R.D. 1984. Microgeographic variation in allozyme and shell characters in *Littorina saxatilis* Olivi (Prosobranchia : Littorinidae). *Biological Journal of the Linnean Society* 22, 289-307.
 256. Janson, K. and Ward, R.D. 1985. The taxonomic status of *Littorina tenebrosa* Montagu as assessed by morphological and genetic analyses. *Journal of Conchology* 32, 9-15.
 257. Janson, K. 1986. Genetic variation in *Mytilus edulis* L. from Sweden revealed by allozyme electrophoresis. *Report, Institute of Freshwater Research, Drottningholm* 111.
 258. Janson, K. 1987. Allozyme and shell variation in two marine snails (*Littorina*, Prosobranchia) with different dispersal abilities. *Biological Journal of the Linnean Society* 30, 245-256.
 259. Janson, K. 1987. Genetic drift in small and recently founded populations of the marine snail *Littorina saxatilis*. *Heredity* 58, 31-37.
 260. Jansson, H., Höggren, M., Johlander, A., and Johansson, R. 1989. Genetic study of Atlantic salmon (*Salmo salar*) from the Swedish river systems Viskan and Ätran. *Report* 3,

- Salmon Research Institute, Älvkarleby, Sweden.* 20 pp. (In Swedish with English summary).
261. Jansson, H., Holmgren, I., Wedin, K., and Andersson, T. 1991. High frequency of natural hybrids between Atlantic salmon, *Salmo salar* L., and brown trout, *S. trutta* L., in a Swedish river. *Journal of Fish Biology* 39 (Supplement A), 343-348.
262. Jansson, H. 1993. Populationsgenetisk undersökning av lax från Kalix älv och Torne älv. *Report, Salmon Research Institute, Älvkarleby, Sweden.* 24 pp. (In Swedish).
263. Jansson, H. 1994. Genetic variation in Atlantic salmon (*Salmo salar*) from River Lagan, Sweden. *Report 1, Salmon Research Institute, Älvkarleby, Sweden.* 6 pp. (In Swedish with English summary).
264. Jansson, H. and Dannewitz, J. 1995. Repression of the brown trout GPI-1* locus in Atlantic salmon x brown trout hybrids. *Hereditas* 122, 293-294.
265. Jansson, H., Wyöni, P., Fernholm, B., Bredwad, M., Mierzykowska, A., and Tegelström, H. 1995. Genetic relationships among species of haggfish revealed by protein electrophoresis. *Journal of Fish Biology* 47, 599-608.
266. Jansson, H., Andersson, T., Holmgren, I., and Wedin, K. 1995. Genetic variation in two Swedish hatchery stocks of brown trout (*Salmo trutta* L.). *Report 3, Salmon Research Institute, Älvkarleby, Sweden.* 11 pp. (In Swedish with English summary).
267. Jansson, H. 1995. Genetisk uppföljning av kompensationsodlade lax- och öringstammar. *Report, Salmon Research Institute, Älvkarleby, Sweden.* 9 pp. (In Swedish).
268. Jansson, H. 1996. Genetic analysis of brown trout from the River Tidån, Sweden. *Report 2, Salmon Research Institute, Älvkarleby, Sweden.* 8 pp. (In Swedish with English summary).
269. Jansson, H. and Öst, T. 1996. Analys av mitokondriellt DNA hos hybrider mellan lax och öring. *Report to Vattenfall AB, Salmon Research Institute and Department of Genetics, Uppsala University.* 7 pp. (In Swedish).
270. Jansson, H. and Öst, T. 1997. Hybridization between Atlantic salmon (*Salmo salar*) and brown trout (*S-trutta*) in a restored section of the River Dalälven, Sweden. *Canadian Journal of Fisheries and Aquatic Sciences* 54, 2033-2039.
271. Jansson, H. 1997. Genetisk analys av Storboströmsöring. *Report to Indalsälvens Vattenregleringsföretag, Salmon Research Institute, Älvkarleby, Sweden.* 9 pp. (In Swedish).
272. Jansson, H. 1997. Genetiska skillnader mellan lax från halländska vattendrag. *Report, Salmon Research Institute, Älvkarleby, Sweden.* 8 pp. (In Swedish).
273. Jansson, H. 1997. Genetisk uppföljning av kompensationsodlade lax- och öringstammar. *Report, Salmon Research Institute, Älvkarleby, Sweden.* 10 pp. (In Swedish).
274. Jansson, H. and Öst, T. 1998. Genetic characteristics of Atlantic salmon from the Swedish river Mörrumsån. *Report 4, Salmon Research Institute, Älvkarleby, Sweden.* 14 pp. (In Swedish with English summary).
275. Jansson, H. and Öst, T. 1998. Främmande öring i Dalälven vid Älvkarleby. *Newsletter 24, Salmon Research Institute, Älvkarleby, Sweden.* 2 pp. (In Swedish).
276. Jansson, H., Nilsson, J., Ryman, N., and Öst, T. 2000. Utredning rörande genetiska effekter av förstärkningsutsättningar och återetablering inom ramen för åtgärdsprogrammet för östersjölax. *Report to the Swedish Board of Fisheries, Institute of Freshwater Research, Drottningholm.* (In Swedish).

277. Jarvinen, O., Sisula, H., Varvio-Aho, S.L., and Salminen, P. 1976. Genetic variation in isolated marginal populations of the roman snail *Helix pomatia*. *Hereditas* 82, 101-110.
278. Jensen, A.B., Palmer, K.A., Boomsma, J.J., and Pedersen, B.V. 2005. Varying degrees of *Apis mellifera ligustica* introgression in protected populations of the black honeybee, *Apis mellifera mellifera*, in northwest Europe. *Molecular Ecology* 14, 93-106.
279. Jensen, J.S., Gillies, A., Csaikl, U., Munro, R., Madsen, S.F., Roulund, H., and Lowe, A. 2002. Chloroplast DNA variation within the Nordic countries. *Forest Ecology and Management* 156, 167-180.
280. Johannesson, H., Gustafsson, M., and Stenlid, J. 2001. Local population structure of the wood decay ascomycete *Daldinia loculata*. *Mycologia* 93, 440-446.
281. Johannesson, H., Vasiliauskas, R., Dahlberg, A., Penttilä, R., and Stenlid, J. 2001. Genetic differentiation in Eurasian populations of the postfire ascomycete *Daldinia loculata*. *Molecular Ecology* 10, 1665-1677.
282. Johannesson, H.S., Johannesson, K.H.P., and Stenlid, J. 2000. Development of primer sets to amplify fragments of conserved genes for use in population studies of the fungus *Daldinia loculata*. *Molecular Ecology* 9, 375-378.
283. Johannesson, K. and Johannesson, B. 1989. Differences in allele frequencies of Aat between high- and mid-rocky shore populations of *Littorina saxatilis* (Olivi) suggest selection in this enzyme locus. *Genetical Research* 54, 7-11.
284. Johannesson, K., Rodström, E.M., and Åse, H. 1989. Low genetic variability in Scandinavian populations of *Ostrea edulis* L. - possible causes and implications. *Journal of Experimental Marine Biology and Ecology* 128, 177-190.
285. Johannesson, K. and Johannesson, B. 1990. Genetic variation within *Littorina saxatilis* Olivi and *Littorina neglecta* Bean. - Is *neglecta* a good species? *Hydrobiologia* 193, 89-99.
286. Johannesson, K., Kautsky, N., and Tedengren, M. 1990. Genotypic and phenotypic differences between Baltic and North Sea populations of *Mytilus edulis* evaluated through reciprocal transplantations. II. Genetic variation. *Marine Ecology Progress Series* 59, 211-219.
287. Johannesson, K. 1992. Genetic variability and large scale differentiation in two species of littorinid gastropods with planktotrophic development *Littorina littorea* (L.) and *Melarhaphé neritoides* (L.) (Prosobranchia littorinacea) with notes on a mass occurrence of *M. neritoides* in Sweden. *Biological Journal of the Linnean Society* 47, 285-299.
288. Johannesson, K., Johannesson, B., and Lundgren, U. 1995. Strong natural selection causes microscale allozyme variation in a marine snail. *Proceedings of the National Academy of Sciences of the United States of America* 92, 2602-2606.
289. Johannesson, K. and Tatarenkov, A. 1997. Allozyme variation in a snail (*Littorina saxatilis*) - deconfounding the effects of microhabitat and gene flow. *Evolution* 51, 402-409.
290. Johannesson, K. and André, C. 2006. Life on the margin: genetic isolation and diversity loss in a peripheral marine ecosystem, the Baltic Sea. *Molecular Ecology* 15, 2013-2029.

291. Johannesson, K., Lundberg, J., André, C., and Nilsson, P.G. 2004. Island isolation and habitat heterogeneity correlate with DNA variation in a marine snail (*Littorina saxatilis*). *Biological Journal of the Linnean Society* 82, 377-384.
292. Johansson, G. 2002. *Factors affecting the distribution of rocky-shore macroalgae on the Swedish Coast: morphological, physiological, reproductive and genetic aspects*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
293. Johansson, G., Sosa, P.A., and Snoeijs, P. 2003. Genetic variability and level of differentiation in North Sea and Baltic Sea populations of the green alga *Cladophora rupestris*. *Marine Biology* 142, 1019-1027.
294. Johansson, M. 2004. *Effects of agriculture on abundance, genetic diversity and fitness in the common frog, Rana temporaria*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
295. Johansson, M., Primmer, C.R., Sahlsten, J., and Merilä, J. 2005. The influence of landscape structure on occurrence, abundance and genetic diversity of the common frog, *Rana temporaria*. *Global Change Biology* 11, 1664-1679.
296. Johansson, M., Primmer, C.G., and Merilä, J. 2006. History vs. current demography: explaining the genetic population structure of the common frog (*Rana temporaria*). *Molecular Ecology* 15, 975-983.
297. Johansson, T. 2001. *Habitat selection, nest predation and conservation biology in a black-tailed godwit (Limosa limosa) population*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
298. Jones, A.G., Walker, D., Lindström, K., Kvarnemo, C., and Avise, J.C. 2001. Surprising similarity of sneaking rates and genetic mating patterns in two populations of sand goby experiencing disparate sexual selection regimes. *Molecular Ecology* 10, 461-469.
299. Jonsell, B., Kustas, K., and Nordal, I. 1995. Genetic variation in *Arabis petraea*, a disjunct species in northern Europe. *Ecography* 18, 321-332.
300. Jonsson, B.O. and Prentice, H.C. 2000. Allozyme diversity and geographic variation in the widespread coastal sedge, *Carex arenaria*. *Diversity & Distributions* 6, 65-80.
301. Jonsson, L. 1998. *Community structure of ectomycorrhizal fungi in Swedish boreal forests*. PhD thesis, Swedish University of Agricultural Sciences, Uppsala, Sweden. Acta Universitatis Agriculturae Sueciae. Silvestria 75.
302. Jonsson, M., Johannesen, J., and Seitz, A. 2003. Comparative genetic structure of the threatened Tenebrionid beetle *Oplocephala haemorrhoidalis* and its common relative *C.* *Journal of Insect Conservation* 7, 111-124.
303. Jonsson, R., Säll, T., and Bryngelsson, T. 2000. Genetic diversity for random amplified polymorphic DNA (RAPD) markers in two Swedish populations of *Pyrenophora teres*. *Canadian Journal of Plant Pathology-Revue Canadienne de Phytopathologie* 22, 258-264.
304. Jordaens, K., Backeljau, T., Ondina, P., Reise, H., and Verhagen, R. 1998. Allozyme homozygosity and phally polymorphism in the land snail *Zonitoides nitidus* (Gastropoda, Pulmonata). *Journal of Zoology* 246, 95-104.

305. Jorde, P.E., Gitt, A., and Ryman, N. 1991. New biochemical genetic markers in the brown trout (*Salmo trutta* L.). *Journal of Fish Biology* 39, 451-454.
306. Jorde, P.E. and Ryman, N. 1996. Demographic genetics of brown trout (*Salmo trutta*) and estimation of effective population size from temporal change of allele frequencies. *Genetics* 143, 1369-1381.
307. Jorde, P.E., Rueness, E.K., Stenseth, N.C., and Jakobsen, K.S. 2006. Cryptic population structuring in Scandinavian lynx: reply to Pamilo. *Molecular Ecology* 15, 1189-1192.
308. Jørgensen, H.B.H., Hansen, M.M., and Loeschcke, V. 2005. Spring-spawning herring (*Clupea harengus* L.) in the southwestern Baltic Sea: do they form genetically distinct spawning waves? *ICES Journal of Marine Science* 62, 1065-1075.
309. Jørgensen, H.B.H., Hansen, M.M., Bekkevold, D., Ruzzante, D.E., and Loeschcke, V. 2005. Marine landscapes and population genetic structure of herring (*Clupea harengus* L.) in the Baltic Sea. *Molecular Ecology* 14, 3219-3234.
310. Kadereit, J.W., Arafeh, R., Somogyi, G., and Westberg, E. 2005. Terrestrial growth and marine dispersal? Comparative phylogeography of five coastal plant species at a European scale. *Taxon* 54, 861-876.
311. Kankare, M., van Nouhuys, S., and Hanski, I. 2005. Genetic divergence among host-specific cryptic species in *Cotesia melitaearum* aggregate (Hymenoptera: Braconidae), parasitoids of checkerspot butterflies. *Annals of the Entomological Society of America* 98, 382-394.
312. Karlsson, J.O. 1994. Genetic variation in *Heterobasidion annosum* detected with M13 fingerprinting and ribosomal DNA probes. *Experimental Mycology* 18, 48-56.
313. Karvonen, P., Szmidt, A.E., and Savolainen, O. 1994. Length variation in the internal transcribed spacers of ribosomal DNA in *Picea abies* and related species. *Theoretical and Applied Genetics* 89, 969-974.
314. Kasanen, R., Hantula, J., Vuorinen, M., Stenlid, J., Solheim, H., and Kurkela, T. 2004. Migrational capacity of Fennoscandian populations of *Venturia tremulae*. *Mycological Research* 108, 64-70.
315. Kauserud, H. and Schumacher, T. 2002. Population structure of the endangered wood decay fungus *Phellinus nigrolimitatus* (Basidiomycota). *Canadian Journal of Botany* 80, 597-606.
316. Kauserud, H. and Schumacher, T. 2003. Regional and local population structure of the pioneer wood-decay fungus *Trichaptum abietinum*. *Mycologia* 95, 416-425.
317. Kazachkova, N., Fahleson, J., and Meijer, J. 2004. Establishment of the amplified fragment length polymorphism (AFLP) technique for genotyping of pollen beetle (*Meligethes aeneus*) - a noxious insect pest on oilseed rape (*Brassica napus*). *Molecular Biology Reports* 31, 37-42.
318. Khalturin, K.V., Mikhailova, N.A., and Granovitch, A.I. 2000. Genetic heterogeneity in the natural populations of *Microphallus piriformes* and *M. pygmaeus parthenites* (Trematoda: Microphallidae). *Parazitologiya* 34, 486-501.
319. King, R.A., Gornall, R.J., Preston, C.D., and Croft, J.M. 2002. Population differentiation of *Potamogeton pectinatus* in the Baltic Sea with reference to waterfowl dispersal. *Molecular Ecology* 11, 1947-1956.

320. Knutsen, H., André, C., Jorde, P.E., Skogen, M.D., Thuróczy, E., and Stenseth, N.C. 2004. Transport of North Sea cod larvae into the Skagerrak coastal populations. *Proceedings of the Royal Society B: Biological Sciences* 271, 1337-1344.
321. Koch, M., Mummenhoff, K., and Hurka, H. 1998. Systematics and evolutionary history of heavy metal tolerant *Thlaspi caerulescens* in Western Europe: evidence from genetic studies based on isozyme analysis. *Biochemical Systematics and Ecology* 26, 823-838.
322. Koch, M. and Bernhardt, K.G. 2004. Comparative biogeography of the cytotypes of annual *Microthlaspi perfoliatum* (Brassicaceae) in Europe using isozymes and cpDNA data: Refugia, diversity centers, and postglacial colonization. *American Journal of Botany* 91, 115-124.
323. Koljonen, M.L. and McKinnell, S. 1996. Assessing seasonal changes in stock composition of Atlantic salmon catches in the Baltic Sea with genetic stock identification. *Journal of Fish Biology* 49, 998-1018.
324. Koljonen, M.L. and Pella, J.J. 1997. The advantage of using smolt age with allozymes for assessing wild stock contributions to Atlantic salmon catches in the Baltic sea. *ICES Journal of Marine Science* 54, 1015-1030.
325. Koljonen, M.L., Jansson, H., Paaver, T., Vasin, O., and Koskiniemi, J. 1999. Phylogeographic lineages and differentiation pattern of Atlantic salmon (*Salmo salar*) in the Baltic Sea with management implications. *Canadian Journal of Fisheries and Aquatic Sciences* 56, 1766-1780.
326. Koljonen, M.L. 2001. Conservation goals and fisheries management units for Atlantic salmon in the Baltic Sea area. *Journal of Fish Biology* 59, 269-288.
327. Koljonen, M.L., Tähtinen, J., Säisä, M., and Koskiniemi, J. 2002. Maintenance of genetic diversity of Atlantic salmon (*Salmo salar*) by captive breeding programmes and the geographic distribution of microsatellite variation. *Aquaculture* 212, 69-92.
328. Kolseth, A.K., Lönn, M., and Svensson, B.M. 2005. Genetic structure in two meadow varieties of *Euphrasia stricta* on the Baltic Island of Gotland (Sweden) and implications for conservation. *Folia Geobotanica* 40, 163-176.
329. Kolseth, A.K. and Lönn, M. 2005. Genetic structure of *Euphrasia stricta* on the Baltic island of Gotland, Sweden. *Ecography* 28, 443-452.
330. Kontula, T. and Väinölä, R. 2001. Postglacial colonization of northern Europe by distinct phylogeographic lineages of the bullhead, *Cottus gobio*. *Molecular Ecology* 10, 1983-2002.
331. Kontula, T. and Väinölä, R. 2004. Molecular and morphological analysis of secondary contact zones of *Cottus gobio* in Fennoscandia: geographical discordance of character transitions. *Biological Journal of the Linnean Society* 81, 535-552.
332. Kormuták, A., Szmidt, A.E., and Wang, X. 1992. Restriction fragment length polymorphism of psbA gene in some species of pines (*Pinus* sp.). In: *Proc. International Symposium, The 100th Anniversary of the Arboretum Mlyany Foundation 1892-1992*. Tomasko, I. (ed.), Arboretum Mlynany, Institute of Dendrobiology, Slovak Academy of Sciences, VEDA, Publishing House of the Slovak Academy of Sciences, Bratislava, pp. 516-522.
333. Korpelainen, H. 1995. Mating system and distribution of enzyme genetic variation in bracken (*Pteridium aquilinum*). *Canadian Journal of Botany* 73, 1611-1617.

334. Koskinen, M.T., Nilsson, J., Veselov, A.J., Potutkin, A.G., Ranta, E., and Primmer, C.R. 2002. Microsatellite data resolve phylogeographic patterns in European grayling, *Thymallus thymallus*, Salmonidae. *Heredity* 88, 391-401.
335. Kothera, R.T., Keinath, A.P., Dean, R.A., and Farnham, M.W. 2003. AFLP analysis of a worldwide collection of *Didymella bryoniae*. *Mycological Research* 107, 297-304.
336. Kraft, T., Nybom, H., and Werlemark, G. 1996. DNA fingerprint variation in some blackberry species (*Rubus* subg. *Rubus*, Rosaceae). *Plant Systematics and Evolution* 199, 93-108.
337. Kuittinen, H., Mattila, A., and Savolainen, O. 1997. Genetic variation at marker loci and in quantitative traits in natural populations of *Arabidopsis thaliana*. *Heredity* 79, 144-152.
338. Kvist, L., Ruokonen, M., Thessing, A., Lumme, J., and Orell, M. 1998. Mitochondrial control region polymorphism reveal high amount of gene flow in Fennoscandian willow tits (*Parus montanus borealis*). *Hereditas* 128, 133-143.
339. Kårén, O., Högberg, N., Dahlberg, A., Jonsson, L., and Nylund, J.-E. 1997. Inter- and intraspecific variation in the ITS region of rDNA of ectomycorrhizal fungi in Fennoscandia as detected by endonuclease analysis. *New Phytologist* 136, 313-325.
340. Kärkkäinen, K., Løe, G., and Ågren, J. 2004. Population structure in *Arabidopsis lyrata*: Evidence for divergent selection on trichome production. *Evolution* 58, 2831-2836.
341. Lagercrantz, U., Ryman, N., and Ståhl, G. 1988. Protein loci in diploid tissue of Norway spruce (*Picea abies* K.): Description and interpretation of electrophoretic variability patterns. *Hereditas* 108, 149-158.
342. Lagercrantz, U. and Ryman, N. 1990. Genetic structure of Norway spruce (*Picea abies*): concordance of morphological and allozymic variation. *Evolution* 44, 38-53.
343. Laikre, L., Tegelström, H., and Gelter, H.P. 1992. DNA fingerprints of captive wolves (*Canis lupus*). *Hereditas* 117, 293-296.
344. Laikre, L., Prodöhl, P.A., Jorde, P.E., and Ryman, N. 1995. Genetic variability at minisatellite and allozyme loci in brown trout (*Salmo trutta*) - A comparison. *Hereditas* 123, 191-195.
345. Laikre, L. 1996. *Genetic processes in small populations - conservation and management considerations with particular focus on inbreeding and its effects*. PhD thesis, Division of Population Genetics, Stockholm University, Stockholm, Sweden.
346. Laikre, L., Ryman, N., and Lundh, N.G. 1997. Estimated inbreeding in a small, wild muskox *Ovibos moschatus* population and its possible effects on population reproduction. *Biological Conservation* 79, 197-204.
347. Laikre, L., Jorde, P.E., and Ryman, N. 1998. Temporal change of mitochondrial DNA haplotype frequencies and female effective size in a brown trout (*Salmo trutta*) population. *Evolution* 52, 910-915.
348. Laikre, L. 1999. Kartläggning av genetisk mångfald hos öring i Värmlands län. En förberedande studie för övervakning av biologisk mångfald på gennivå. *Report to Länsstyrelsen i Värmlands län, Division of Population Genetics, Stockholm University, Stockholm*. 41 pp. (In Swedish).
349. Laikre, L., Järvi, T., Johansson, L., Palm, S., Rubin, J.F., Glimsäter, C.E., Landergren, P., and Ryman, N. 2002. Spatial and temporal population structure of sea trout at the Island of Gotland, Sweden, delineated from mitochondrial DNA. *Journal of Fish Biology* 60, 49-71.

350. Laikre, L., Miller, L.M., Palmé, A., Palm, S., Kapuscinski, A.R., Thoreson, G., and Ryman, N. 2005. Spatial genetic structure of northern pike (*Esox lucius*) in the Baltic Sea. *Molecular Ecology* 14, 1955-1964.
351. Laikre, L., Palm, S., and Ryman, N. 2005. Genetic population structure of fishes: Implications for coastal zone management. *Ambio* 34, 111-119.
352. Laikre, L.ed. 1999. Conservation genetic management of brown trout (*Salmo trutta*) in Europe. *Report by the Concerted action on identification, management and exploitation of genetic resources in the brown trout (Salmo trutta), "TROUTCONCERT" EU FAIR CT97-3882*. 91 pp.
353. Lakovaara, S., Saura, A., Lokki, J., and Lankinen, P. 1976. Genic polymorphism in marginal populations of *Drosophila. Notulae Entomologicae* LVI, 65-72.
354. Langefors, Å., von Schantz, T., and Widegren, B. 1998. Allelic variation of Mhc class II in Atlantic salmon; a population genetic analysis. *Heredity* 80, 568-575.
355. Langefors, Å. 1999. *Genetic variation in the Mhc class II B in Atlantic salmon: Evolutionary and ecological perspectives*. PhD thesis, Department of Ecology, Lund University, Sweden.
356. Langefors, Å., Lohm, J., von Schantz, T., and Grahn, M. 2000. Screening of Mhc variation in Atlantic salmon (*Salmo salar*): a comparison of restriction fragment length polymorphism (RFLP), denaturing gradient gel electrophoresis (DGGE) and sequencing. *Molecular Ecology* 9, 215-219.
357. Langefors, Å., Lohm, J., and von Schantz, T. 2001. Allelic polymorphism in MHC class II B in four populations of Atlantic salmon (*Salmo salar*). *Immunogenetics* 53, 329-336.
358. Langefors, Å.H. 2005. Adaptive and neutral genetic variation and colonization history of Atlantic salmon, *Salmo salar*. *Environmental Biology of Fishes* 74, 297-308.
359. Lascoux, M., Thorsén, J., and Gullberg, U. 1996. Population structure of a riparian willow species, *Salix viminalis* L. *Genetical Research* 68, 45-54.
360. Laugen, A.T. 2003. *Local adaptation, countergradient variation and ecological genetics of life-history traits in Rana temporaria*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
361. Lerceteau, E. and Szmidt, A.E. 1999. Properties of AFLP markers in inheritance and genetic diversity studies of *Pinus sylvestris* L. *Heredity* 82, 252-260.
362. Lesbarreres, D., Primmer, C.G., Laurila, A., and Merilä, J. 2005. Environmental and population dependency of genetic variability-fitness correlations in *Rana temporaria*. *Molecular Ecology* 14, 311-323.
363. Leskinen, E., Alström-Rapaport, C., and Pamilo, P. 2004. Phylogeographical structure, distribution and genetic variation of the green algae *Ulva intestinalis* and *U-compressa* (Chlorophyta) in the Baltic Sea area. *Molecular Ecology* 13, 2257-2265.
364. Levan, G. and Fredga, K. 1972. Isozyme polymorphism in three species of land snails. *Hereditas* 71, 245-252.
365. Lian, C.L., Hogetsu, T., Matsushita, N., Guerin-Laguette, A., Suzuki, K., and Yamada, A. 2003. Development of microsatellite markers from an ectomycorrhizal fungus, *Tricholoma matsutake*, by an ISSR-suppression-PCR method. *Mycorrhiza* 13, 27-31.

366. Liberg, O., Andrén, H., Pedersen, H., Sand, H., Sejberg, D., Wabakken, P., Åkesson, M., and Bensch, S. 2005. Severe inbreeding depression in a wild wolf (*Canis lupus*) population. *Biology Letters* 1, 17-20.
367. Lidholm, J., Jansson, S., Szmidt, A.E., and Gustafsson, P. 1988. Structure and regulation of photosynthesis genes in *Pinus sylvestris* and *Pinus contorta*. In: *Proc. Frans Kempe Symposium on Molecular Genetics of Forest Trees*. Hällgren, J.-E. (ed.), Swedish University of Agricultural Sciences, Umeå, pp. 115-126.
368. Lidholm, J., Szmidt, A.E., and Gustafsson, P. 1991. Duplication of the psbA gene on the chloroplast genome of two *Pinus* species. *Molecular and General Genetics* 226, 345-352.
369. Lind-Halldén, C., Halldén, C., and Säll, T. 2002. Genetic variation in *Arabidopsis suecica* and its parental species *A-arenosa* and *A-thaliana*. *Hereditas* 136, 45-50.
370. Lindgren, D., Paule, L., Shen, X., Yazdani, R., Segerström, U., Wallin, J., and Lejdeb, M. 1995. Can viable pollen carry Scots pine genes over long distances? *Grana* 34, 64-69.
371. Lindström, K. and Berglind, S.Å. 1995. Genetic variation between populations and within nests of (*Formica cinerea*) (Hymenoptera, Formicidae) in central Sweden and in Finland. *Entomologisk Tidskrift* 116, 161-168.
372. Lindström, K., Berglind, S.Å., and Pamilo, P. 1996. Variation of colony types in the ant *Formica cinerea*. *Insectes Sociaux* 43, 329-332.
373. Liukkonen-Anttila, T., Uimaniemi, L., Orell, M., Hissa, R., and Lumme, J. 2000. European grey partridge (*Perdix perdix*) - eastern and western lineages. *Advances in Ethology* 35, 143.
374. Liukkonen-Anttila, T., Uimaniemi, L., Orell, M., and Lumme, J. 2002. Mitochondrial DNA variation and the phylogeography of the grey partridge (*Perdix perdix*) in Europe: from Pleistocene history to present day populations. *Journal of Evolutionary Biology* 15, 971-982.
375. Lokki, J., Saura, A., Lankinen, P., and Suomalainen, E. 1976. Genetic polymorphism and evolution in parthenogenetic animals. V. Triploid *Adoxus obscurus* (Coleoptera: Chrysomelidae). *Genetical Research* 28, 27-36.
376. Lokki, J., Saura, A., Lankinen, P., and Suomalainen, E. 1976. Genetic polymorphism and evolution in parthenogenetic animals. VI. Diploid and triploid *Polydrosus mollis* (Coleoptera: Curculionidae). *Hereditas* 82, 209-216.
377. Lokki, J. and Saura, A. 1980. Genetic polymorphism and evolution in parthenogenetic animals. XI. Genetic differentiation in parthenogenetic populations. *Hereditas* 92, 275-282.
378. Lopes, R.J., Marques, J.C., and Wennerberg, L. 2006. Migratory connectivity and temporal segregation of dunlin (*Calidris alpina*) in Portugal: evidence from morphology, ringing recoveries and mtDNA. *Journal of Ornithology* 147, 385-394.
379. Lopez-Brana, I., Romero, M.D., and Delibes, A. 1996. Analysis of *Heterodera avenae* populations by the random amplified polymorphic DNA technique. *Genome* 39, 118-122.
380. Lu, M.-Z., Szmidt, A.E., and Wang, X. 1994. Genetics of random amplified polymorphic DNA (RAPD) in *Pinus sylvestris* (L.). *Hereditas* 121, 220.
381. Lu, M.-Z., Wang, X., and Szmidt, A.E. 1995. Inheritance of RAPD fragments in haploid and diploid tissues of *Pinus sylvestris* (L.). *Heredity* 74, 582-589.

382. Lu, M.-Z., Wang, X.-R., and Szmidt, A.E. 1997. Molecular properties of RAPDs in *Pinus sylvestris* (L.) and their implications for genetic analysis. *Forest Genetics* 4, 227-234.
383. Lu, M.-Z. 1999. *Genetic properties of RAPD markers and RNA editing in gymnosperms*. PhD thesis, Swedish University of Agricultural Sciences, Umeå, Sweden. Acta Universitatis Agriculturae Sueciae. Silvestria 47.
384. Lundkvist, K. 1974. Inheritance of leucine aminopeptidase isozymes in *Picea abies* K. *Hereditas* 76, 91-96.
385. Lundkvist, K. 1975. Inheritance of acid phosphatase isozymes in *Picea abies*. *Hereditas* 79, 221-226.
386. Lundkvist, K. 1977. Inheritance of esterases in needles and endosperms of Norway spruce (*Picea abies* K.). *Hereditas* 87, 27-32.
387. Lundkvist, K. and Rudin, D. 1977. Genetic variation in eleven populations of *Picea abies* as determined by isozyme analysis. *Hereditas* 85, 67-73.
388. Lundkvist, K. 1979. Genetic differentiation within and among Swedish populations of Norway spruce (*Picea abies*). In: *Proceedings of the conference on biochemical genetics of forest trees; Umeå (Sweden); Rapport*. Rudin, D. (ed.), Sveriges Lantbruksuniversitet, Institutionen för Skoglig Genetik och Växtfysiologi, Sweden, pp. 113-117.
389. Lundkvist, K. 1979. Allozyme frequency distributions in four Swedish populations of Norway spruce (*Picea abies* K.). *Hereditas* 90, 127-144.
390. Lundmark, M., Drotz, M.K., and Nilsson, A.N. 2001. Morphometric and genetic analysis shows that *Haliphus wehncke* is a junior synonym of *H-sibiricus* (Coleoptera : Haliplidae). *Insect Systematics & Evolution* 32, 241-251.
391. Lundqvist, E. and Andersson, E. 2001. Genetic diversity in populations of plants with different breeding and dispersal strategies in a free-flowing boreal river system. *Hereditas* 135, 75-83.
392. Löfgren, A. 2001. *Colonisation and extinction of vascular plants on islands off the Swedish east coast*. PhD thesis, Department of Botany, Stockholm University, Stockholm, Sweden.
393. Lönn, M. and Prentice, H.C. 1990. Mosaic variation in Swedish *Petrorphagia prolifera* (Caryophyllaceae): the partitioning of morphometric and electrophoretic diversity. *Biological Journal of the Linnean Society* 41, 353-373.
394. Lönn, M., Tegelström, H., and Prentice, H.C. 1992. The synthetic (TG)_n polynucleotide: a probe for gene flow and paternity studies in wild plant populations. *Nucleic Acids Research* 20, 1153.
395. Lönn, M. 1993. Genetic structure and allozyme-microhabitat associations in *Bromus hordeaceus*. *Oikos* 68, 99-106.
396. Lönn, M. and Prentice, H.C. 1995. The structure of allozyme and leaf shape variation in isolated, range-margin populations of the shrub *Hippocrepis emerus* (Leguminosae). *Ecography* 18, 276-285.
397. Lönn, M., Prentice, H.C., and Tegelström, H. 1995. Genetic differentiation in *Hippocrepis emerus* (Leguminosae): Allozyme and DNA fingerprint variation in disjunct Scandinavian populations. *Molecular Ecology* 4, 39-48.

398. Lönn, M., Prentice, H.C., and Bengtsson, K. 1996. Genetic structure, allozyme-habitat associations and reproductive fitness in *Gypsophila fastigiata* (Caryophyllaceae). *Oecologia* 106, 308-316.
399. Lönn, M., Leskinen, E., and Pamilo, P. 1998. Genetic differentiation of Swedish populations of plants and animals: implications for conservation. *Report 4848, Swedish Environmental Protection Agency, Sweden*. 140 pp. (in Swedish).
400. MacDonald, C. and Brookfield, J.F.Y. 2002. Intraspecific molecular variation in the seaweed fly *Coelopa frigida* consistent with behavioural distinctness of British and Swedish populations. *Molecular Ecology* 11, 1637-1646.
401. Madsen, T., Stille, B., and Shine, R. 1996. Inbreeding depression in an isolated population of adders *Vipera berus*. *Biological Conservation* 75, 113-118.
402. Madsen, T., Olsson, M., Wittzell, H., Stille, B., Gullberg, A., Shine, R., Andersson, S., and Tegelström, H. 2000. Population size and genetic diversity in sand lizards (*Lacerta agilis*) and adders (*Vipera berus*). *Biological Conservation* 94, 257-262.
403. Malm, J.U. and Prentice, H.C. 2002. Immigration history and gene dispersal: allozyme variation in Nordic populations of the red campion, *Silene dioica* (Caryophyllaceae). *Biological Journal of the Linnean Society* 77, 23-34.
404. Malm, J.U. and Prentice, H.C. 2005. Chloroplast DNA haplotypes in Nordic *Silene dioica*: postglacial immigration from the east and the south. *Plant Systematics and Evolution* 250, 27-38.
405. Malm, T. and Kautsky, L. 2004. Are bladderwrack (*Fucus vesiculosus* L.) holdfasts that support several fronds composed of one or several genetic individuals? *Aquatic Botany* 80, 221-226.
406. Manduric, S. and Andersson, S. 2004. The identity of a Swedish *Globodera* (Nematoda : Heteroderidae) population, following comparisons with known populations of *G. artemisiae* (Eroshenko and Kazachenko, 1972) Behrens, 1975. *Russian Journal of Nematology* 12, 39-44.
407. Manel, S., Bellemain, E., Swenson, J.E., and François, O. 2004. Assumed and inferred spatial structure of populations: the Scandinavian brown bears revisited. *Molecular Ecology* 13, 1327-1331.
408. Marion, L. and Le Gentil, J. 2006. Ecological segregation and population structuring of the cormorant *Phalacrocorax carbo* in Europe, in relation to the recent introgression of continental and marine subspecies. *Evolutionary Ecology* 20, 193-216.
409. Maron, J.L., Vila, M., Bommarco, R., Elmendorf, S., and Beardsley, P. 2004. Rapid evolution of an invasive plant. *Ecological Monographs* 74, 261-280.
410. McPherson, A.A., O'Reilly, P.T., and Taggart, C.T. 2004. Genetic differentiation, temporal stability, and the absence of isolation by distance among Atlantic herring populations. *Transactions of the American Fisheries Society* 133, 434-446.
411. Meinilä, M., Kuusela, J., Zietara, M.S., and Lumme, J. 2004. Initial steps of speciation by geographic isolation and host switch in salmonid pathogen *Gyrodactylus salaris* (Monogenea : Gyrodactylidae). *International Journal for Parasitology* 34, 515-526.
412. Menkis, A., Allmer, J., Vasiliauskas, R., Lygis, V., Stenlid, J., and Finlay, R. 2004. Ecology and molecular characterization of dark septate fungi from roots, living stems, coarse and fine woody debris. *Mycological Research* 108, 965-973.
413. Mestres, F., Balana, J., Segarra, C., Prevosti, A., and Serra, L. 1994. O chromosome inversion polymorphism in Northern and Atlantic Europe and its implications in the

- American colonization by *Drosophila subobscura*. *Zeitschrift für Zoologische Systematik und Evolutionsforschung* 32, 108-116.
414. Michaux, J.R., Magnanou, E., Paradis, E., Nieberding, C., and Libois, R. 2003. Mitochondrial phylogeography of the woodmouse (*Apodemus sylvaticus*) in the western Palearctic region. *Molecular Ecology* 12, 685-697.
415. Mikko, S. and Andersson, L. 1995. Low major histocompatibility complex class II diversity in European and North-American moose. *Proceedings of the National Academy of Sciences of the United States of America* 92, 4259-4263.
416. Mikko, S., Røed, K., Schmutz, S., and Andersson, L. 1999. Monomorphism and polymorphism at Mhc DRB loci in domestic and wild ruminants. *Immunological Reviews* 167, 169-178.
417. Milbrink, G. and Nyman, L. 1973. On the protein taxonomy of aquatic oligochaetes. *Zoon* 1, 29-35.
418. Molau, U. and Prentice, H.C. 1992. Reproductive system and population structure in three arctic *Saxifraga* spp. *Journal of Ecology* 80, 149-161.
419. Molbo, D. and Parker, E.D. 1996. Mating structure and sex ratio variation in a natural population of *Nasonia vitripennis*. *Proceedings of the Royal Society B: Biological Sciences* 263, 1703-1709.
420. Mork, J., Ryman, N., Ståhl, G., Utter, F., and Sundnes, G. 1985. Genetic variation in Atlantic cod (*Gadus morhua*) throughout its range. *Canadian Journal of Fisheries and Aquatic Sciences* 42, 1580-1587.
421. Mulkiewicz, E., Zietara, M.S., Strömberg, J.O., and Skorkowski, E.F. 2001. Lactate dehydrogenase from the northern krill *Meganyctiphanes norvegica*: comparison with LDH from the Antarctic krill *Euphausia superba*. *Comparative Biochemistry and Physiology B-Biochemistry & Molecular Biology* 128, 233-245.
422. Muona, O., Saura, A., and Lokki, J. 1982. Gametic equilibrium in central and marginal populations of *Drosophila subobscura*. In: *Advances in genetics: Development and evolution of Drosophila*. Lakovaara, S. (ed.), Plenum Publishing Corporation, New York, NY, U.S.A., pp. 327-332.
423. Muona, O. and Szmidt, A.E. 1985. A multilocus study of natural populations of *Pinus sylvestris*. In: *Population genetics in forestry. Lecture notes in biomathematics; 60*. Gregorius, H.R. (ed.), Springer Verlag, Berlin, pp. 226-240.
424. Muona, O., Yazdani, R., and Lindqvist, G. 1987. Analysis of linkage in *Picea abies*. *Hereditas* 106, 31-36.
425. Muona, O., Yazdani, R., and Rudin, D. 1987. Genetic change between life stages in *Pinus sylvestris*: allozyme variation in seeds and planted seedlings. *Silvae Genetica* 36, 39-42.
426. Muona, O., Harju, A., and Kärkkäinen, K. 1988. Genetic comparisons of natural and nursery grown seedlings of *Pinus sylvestris* using allozymes. *Scandinavian Journal of Forest Research* 3, 37-46.
427. Muona, O., Paule, L., Szmidt, A.E., and Kärkkäinen, K. 1990. Mating system analysis in a central and northern European population of *Picea abies*. *Scandinavian Journal of Forest Research* 5, 97-102.
428. Müller, C., Barker, A., Boevé, J.-L., De Jong, P.W., De Vos, H., and Brakefield, P.M. 2004. Phylogeography of two parthenogenetic sawfly species (Hymenoptera:

- Tenthredinidae): relationship of population genetic differentiation to host plant distribution. *Biological Journal of the Linnean Society* 83, 219-227.
429. Nagasaka, K. and Szmidt, A.E. 1985. A multilocus study of the external pollen contamination of a Scots pine (*Pinus sylvestris* L.) seed orchard. In: *Population genetics in forestry. Lecture notes in biomathematics; 60*. Gregorius, H.R. (ed.), Springer Verlag, Berlin, pp. 134-138.
430. Nesbø, C.L., Magnhagen, C., and Jakobsen, K.S. 1998. Genetic differentiation among stationary and anadromous perch (*Perca fluviatilis*) in the Baltic Sea. *Hereditas* 129, 241-249.
431. Nesbø, C.L., Fossheim, T., Vollestad, L.A., and Jakobsen, K.S. 1999. Genetic divergence and phylogeographic relationships among European perch (*Perca fluviatilis*) populations reflect glacial refugia and postglacial colonization. *Molecular Ecology* 8, 1387-1404.
432. Nesje, M., Røed, K.H., Bell, D.A., Lindberg, P., and Lifjeld, J.T. 2000. Microsatellite analysis of population structure and genetic variability in peregrine falcons (*Falco peregrinus*). *Animal Conservation* 3, 267-275.
433. Nielsen, E.E., Hansen, M.M., and Loeschcke, V. 1996. Genetic structure of European populations of *Salmo salar* L (Atlantic salmon) inferred from mitochondrial DNA. *Heredity* 77, 351-358.
434. Nielsen, E.E., Hansen, M.M., and Mensberg, K.L.D. 1998. Improved primer sequences for the mitochondrial ND1, ND3/4 and ND5/6 segments in salmonid fishes: application to RFLP analysis of Atlantic salmon. *Journal of Fish Biology* 53, 216-220.
435. Nielsen, E.E., Hansen, M.M., and Loeschcke, V. 1999. Genetic variation in time and space: Microsatellite analysis of extinct and extant populations of Atlantic salmon. *Evolution* 53, 261-268.
436. Nielsen, E.E., Hansen, M.M., Ruzzante, D.E., Meldrup, D., and Grønkjær, P. 2003. Evidence of a hybrid-zone in Atlantic cod (*Gadus morhua*) in the Baltic and the Danish Belt Sea revealed by individual admixture analysis. *Molecular Ecology* 12, 1497-1508.
437. Nielsen, E.E., Nielsen, P.H., Meldrup, D., and Hansen, M.M. 2004. Genetic population structure of turbot (*Scophthalmus maximus* L.) supports the presence of multiple hybrid zones for marine fishes in the transition zone between the Baltic Sea and the North Sea. *Molecular Ecology* 13, 585-595.
438. Nielsen, E.E., Grønkjær, P., Meldrup, D., and Paulsen, H. 2005. Retention of juveniles within a hybrid zone between North Sea and Baltic Sea Atlantic cod (*Gadus morhua*). *Canadian Journal of Fisheries and Aquatic Sciences* 62, 2219-2225.
439. Niklasson, M., Tomiuk, J., and Parker, E.D. 2004. Maintenance of clonal diversity in *Dipsa bifurcata* (Fallen, 1810) (Diptera: Lonchopteridae). I. Fluctuating seasonal selection moulds long-term coexistence. *Heredity* 93, 62-71.
440. Nilsson, E. 2005. *Breeding system evolution and pollination success in the wind-pollinated herb Plantago maritima*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
441. Nilsson, J. 1985. Allozyme variation of *Macoma baltica* (L.) in the Bothnian Sea. *Hereditas* 102, 277-280.

442. Nilsson, J. and Schmitz, M. 1995. Random amplified polymorphic DNA (RAPD) in Arctic char. *Nordic Journal of Freshwater Research* 71, 372-377.
443. Nilsson, J. 1997. MtDNA and microsatellite variation in Baltic Atlantic salmon. *ICES Journal of Marine Science* 54, 1173-1176.
444. Nilsson, J., Gross, R., Asplund, T., Dove, O., Jansson, H., Kelloniemi, J., Kohlmann, K., Löytynoja, A., Nielsen, E.E., Paaver, T., Primmer, C.R., Titov, S., Vasemägi, A., Veselov, A., Öst, T., and Lumme, J. 2001. Matrilinear phylogeography of Atlantic salmon (*Salmo salar* L.) in Europe and postglacial colonization of the Baltic Sea area. *Molecular Ecology* 10, 89-102.
445. Nilsson, T. and Jorde, P.E. 1998. Allozyme variation in allotetraploid *Saxifraga osloensis* and its diploid progenitors. *Nordic Journal of Botany* 18, 425-430.
446. Nokkala, C. and Nokkala, S. 1989. Chromosomal polymorphism in *Galerucella sagittariae* Gyll. Chrysomelidae Coleoptera in Finland. *Hereditas* 111, 189-200.
447. Nordén, B. 1997. Genetic variation within and among populations of *Fomitopsis pinicola* (Basidiomycetes). *Nordic Journal of Botany* 17, 319-329.
448. Norén, K., Dalén, L., Kvaløy, K., and Angerbjörn, A. 2005. Detection of farm fox and hybrid genotypes among wild arctic foxes in Scandinavia. *Conservation Genetics* 6, 885-894.
449. Norman, L., Eriksson, B., Härdig, L., Jonsson, B., and Melin, M. 1995. The river Testeboån as a gene bank for the Dalälven trout. *Report 2, Salmon Research Institute, Älvkarleby, Sweden*. 6 pp. (In Swedish with English summary).
450. Nybom, H. and Kraft, T. 1995. Application of DNA fingerprinting to the taxonomy of European blackberry species. *Electrophoresis* 16, 1731-1735.
451. Nybom, H. 1998. Biometry and DNA fingerprinting detect limited genetic differentiation among populations of the apomictic blackberry *Rubus nessensis* (Rosaceae). *Nordic Journal of Botany* 18, 323-333.
452. Nybom, H. and Werlemark, G. 2005. Dogroses in the wild: amount and distribution of genetic variability. *Acta Horticulturae (ISHS)* 690, 34.
453. Nygren, J. 1980. Allozyme variation in natural populations of field vole (*Microtus agrestis* L.). II. Survey of an isolated island population. *Hereditas* 93, 107-114.
454. Nygren, J. 1980. Allozyme variation in natural populations of field vole (*Microtus agrestis* L.). III. Survey of a cyclic density varying population. *Hereditas* 93, 125-136.
455. Nygren, J. and Rasmuson, M. 1980. Allozyme variation in natural populations of field vole (*Microtus agrestis* L.). I. Survey of the semi stable population in southern Sweden. *Hereditas* 92, 65-72.
456. Nyman, L. and Norman, L. 1987. Genetic aspects on culture of Atlantic salmon and sea trout for stocking: Guidelines for breeding methodology and management. *Report 4, Salmon Research Institute, Älvkarleby, Sweden*. 20 pp. (In Swedish with English summary).
457. Nyman, L. 1965. Inter- and intraspecific variations of proteins in fishes. *Annales Academiae Regiae Scientiarum Upsaliensis* 9.
458. Nyman, L. 1967. Protein variations in Salmonidae. *Report 47, Institute of Freshwater Research, Drottningholm*. 38 pp.
459. Nyman, L. and Westin, L. 1968. Spontaneous hybridization in Cottidae. *Acta Zoologica* 49, 219-226.

460. Nyman, L. and Westin, L. 1968. On the problem of sibling species and possible intraspecific variation in fourhorn sculpin, *Myoxocephalus quadricornis* (L.). *Report, Institute of Freshwater Research, Drottningholm* 48, 57-66.
461. Nyman, L. 1969. Polymorphic serum esterases in two species of freshwater fishes. *Journal of the Fisheries Research Board of Canada* 26, 2532-2534.
462. Nyman, L. and Westin, L. 1969. A contribution to the methods of classification for some Mysidae and *Gammarus* species in the Baltic. *Report, Institute of Freshwater Research, Drottningholm* 49, 155-163.
463. Nyman, L. and Westin, L. 1969. Blood protein systematics of Cottidae in the Baltic drainage area. *Report, Institute of Freshwater Research, Drottningholm* 49, 164-174.
464. Nyman, L. 1972. A new approach to the taxonomy of the "*Salvelinus alpinus* species complex". *Report* 52, *Institute of Freshwater Research, Drottningholm*. 131 pp.
465. Nyman, L. and Filipsson, O. 1972. The chars of Lake Yraf. *Information från Sötvattenslaboratoriet, Drottningholm* 10. (In Swedish with English summary).
466. Nyman, L. 1975. Allelic selection in a fish (*Gymnocephalus cernua* (L.)) subjected to hotwater effluents. *Report* 54, *Institute of Freshwater Research, Drottningholm*. 82 pp.
467. Nyman, L. and Skoog, G. 1977. Species specific enzymes in some snail species (Mollusca, Gastropoda) from fresh and brackish water in Sweden. *Zoologica Scripta* 6, 327-330.
468. Nyman, L., Hammar, J., and Gydemo, R. 1981. The systematics and biology of landlocked populations of Arctic char from northern Europe. *Report, Institute of Freshwater Research, Drottningholm* 59, 128-141.
469. Nyman, L. 1983. Introgression between sympatric char species: an important aspect of genetic matching of populations to specific environments. In: *Proceedings of the second ISACF workshop on Arctic char, 1982. ISACF Information Series 2*. Institute of Freshwater Research, Drottningholm, pp. 126-142.
470. Nyman, L. 1984. Management of allopatric and sympatric populations of landlocked Arctic charr in Sweden. In: *Biology of the Arctic charr. Proceedings of the International Symposium on Arctic charr, Winnipeg, Manitoba, May 1981*. Johnson, L. and Burns, B.L. (eds.), University of Manitoba Press, Winnipeg, pp. 23-34.
471. Nyman, L., Hammar, J., and Gydemo, R. 1985. Lethal, sexlinked genes associated with homozygosity at the Esterase-2 locus in Arctic char? In: *Proceedings of the third ISACF workshop on the arctic char, 1984. ISACF Information Series 3*. Institute of Freshwater Research, Drottningholm, pp. 125-130.
472. Nyman, L. 1987. High, old and small: the dwarfs of "chardom". In: *Proceedings of the fourth ISACF workshop on Arctic char, 1986. ISACF Information Series 4*. Institute of Freshwater Research, Drottningholm, pp. 107-112.
473. Nyman, L. and Ring, O. 1989. Effects of hatchery environment on three polymorphic loci in arctic char *Salvelinus alpinus* species complex. *Nordic Journal of Freshwater Research* 65, 34-43.
474. Nyström, V., Angerbjörn, A., and Dalén, L. 2006. Genetic consequences of a demographic bottleneck in the Scandinavian arctic fox. *Oikos* 114, 84-94.

475. Ollivier, L. 1995. Genetic differences in recombination frequency in the pig (*Sus scrofa*). *Genome* 38, 1048-1051.
476. Olsson, A., Nybom, H., and Prentice, H.C. 2000. Relationships between Nordic dogroses (*Rosa* L. sect. *Caninae*, Rosaceae) assessed by RAPDs and elliptic Fourier analysis of leaflet shape. *Systematic Botany* 25, 511-521.
477. Opanowicz, M. and Grube, M. 2004. Photobiont genetic variation in *Flavocetraria nivalis* from Poland (Parmeliaceae, lichenized Ascomycota). *Lichenologist* 36, 125-131.
478. Ottvall, R., Höglund, J., Bensch, S., and Larsson, K. 2005. Population differentiation in the redshank (*Tringa totanus*) as revealed by mitochondrial DNA and amplified fragment length polymorphism markers. *Conservation Genetics* 6, 321-331.
479. Paaver, T. 1991. Elektroforetisk undersökning av romproteiner hos laxfisk. *Information från Sötvattenslaboratoriet, Drottningholm* 4, 49-62.
480. Packer, L. and Taylor, J.S. 2002. Genetic variation within and among populations of an arctic/alpine sweat bee (Hymenoptera : Halictidae). *Canadian Entomologist* 134, 619-631.
481. Palm, S. and Ryman, N. 1999. Genetic basis of phenotypic differences between transplanted stocks of brown trout. *Ecology of Freshwater Fish* 8, 169-180.
482. Palm, S., Dannewitz, J., Järvi, T., Petersson, E., Prestegard, T., and Ryman, N. 2003. Lack of molecular genetic divergence between sea-ranched and wild sea trout (*Salmo trutta*). *Molecular Ecology* 12, 2057-2071.
483. Palm, S. 2003. *Spatio-temporal genetic variation in brown trout (Salmo trutta). Microevolutionary studies with particular focus on effective population size, temporal stability, and local adaptation.* PhD thesis, Division of Population Genetics, Stockholm University, Stockholm, Sweden.
484. Palm, S., Laikre, L., Jorde, P.E., and Ryman, N. 2003. Effective population size and temporal genetic change in stream resident brown trout (*Salmo trutta*, L.). *Conservation Genetics* 4, 249-264.
485. Palme, A.E., Su, Q., Palsson, S., and Lascoux, M. 2004. Extensive sharing of chloroplast haplotypes among European birches indicates hybridization among *Betula pendula*, *B-pubescens* and *B-nana*. *Molecular Ecology* 13, 167-178.
486. Palmé, A.E. and Vendramin, G.G. 2002. Chloroplast DNA variation, postglacial recolonization and hybridization in hazel, *Corylus avellana*. *Molecular Ecology* 11, 1769-1779.
487. Palmé, A.E., Su, Q., Rautenberg, A., Manni, F., and Lascoux, M. 2003. Postglacial recolonization and cpDNA variation of silver birch, *Betula pendula*. *Molecular Ecology* 12, 201-212.
488. Palmé, A.E., Semerikov, V., and Lascoux, M. 2003. Absence of geographical structure of chloroplast DNA variation in willow, *Salix caprea* L. *Heredity* 91, 465-474.
489. Palo, J.U., Mäkinen, H.S., Helle, E., Stenman, O., and Väinölä, R. 2001. Microsatellite variation in ringed seals (*Phoca hispida*): genetic structure and history of the Baltic Sea population. *Heredity* 86, 609-617.
490. Palo, J.U., O'Hara, R.B., Laugen, A.T., Laurila, A., Primmer, C.R., and Merilä, J. 2003. Latitudinal divergence of common frog (*Rana temporaria*) life history traits by natural selection: evidence from a comparison of molecular and quantitative genetic data. *Molecular Ecology* 12, 1963-1978.

491. Palo, J.U., Schmeller, D.S., Laurila, A., Primmer, C.R., Kuzmin, S.L., and Merilä, J. 2004. High degree of population subdivision in a widespread amphibian. *Molecular Ecology* 13, 2631-2644.
492. Palo, J.U., Lesbarreres, D., Schmeller, D.S., Primmer, C.R., and Merilä, J. 2004. Microsatellite marker data suggest sex-biased dispersal in the common frog *Rana temporaria*. *Molecular Ecology* 13, 2865-2869.
493. Pamilo, P. and Savolainen, O. 1999. Post-glacial colonization, drift, local selection and conservation value of populations: A northern perspective. *Hereditas* 130, 229-238.
494. Parducci, L., Suyama, Y., Lascoux, M., and Bennett, K.D. 2005. Ancient DNA from pollen: A genetic record of population history in Scots pine. *Molecular Ecology* 14, 2873-2882.
495. Paule, L., Lindgren, D., and Yazdani, R. 1993. Allozyme frequencies, outcrossing rate and pollen contamination in *Picea abies* seed orchards. *Scandinavian Journal of Forest Research* 8, 8-17.
496. Paxton, R.J., Thorén, P.A., Tengö, J., Estoup, A., and Pamilo, P. 1996. Mating structure and nestmate relatedness in a communal bee, *Andrena jacobii* (Hymenoptera, Andrenidae), using microsatellites. *Molecular Ecology* 5, 511-519.
497. Pálsson, S. 1999. *On the evolutionary effects of linkage and deleterious mutations in small populations*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
498. Pálsson, S. 2000. Microsatellite variation in *Daphnia pulex* from both sides of the Baltic Sea. *Molecular Ecology* 9, 1075-1088.
499. Pedersen, A.A. and Loeschcke, V. 2001. Conservation genetics of peripheral populations of the mygalomorph spider *Atypus affinis* (Atypidae) in northern Europe. *Molecular Ecology* 10, 1133-1142.
500. Pedersen, B.V. 1996. On the phylogenetic position of the Danish strain of the black honeybee (the Läsö bee), *Apis mellifera mellifera* L (Hymenoptera: Apidae) inferred from mitochondrial DNA sequences. *Entomologica Scandinavica* 27, 241-250.
501. Persson, H., Nybom, H., and Svensson, L. 1996. DNA fingerprinting detects genotypic distribution in populations of hazel, *Corylus avellana* (Betulaceae). *Acta Universitatis Upsaliensis Symbolae Botanicae Upsalienses* 31, 115-122.
502. Persson, H., Widén, B., Andersson, S., and Svensson, L. 2004. Allozyme diversity and genetic structure of marginal and central populations of *Corylus avellana* L. (Betulaceae) in Europe. *Plant Systematics and Evolution* 244, 157-179.
503. Persson, H.A. and Gustavsson, B.A. 2000. Lingonberry - the red gold of Sweden. *Acta Horticulturae (ISHS)* 538, 168.
504. Persson, H.A. and Gustavsson, B.A. 2001. The extent of clonality and genetic diversity in lingonberry (*Vaccinium vitis-idaea* L.) revealed by RAPDs and leaf-shape analysis. *Molecular Ecology* 10, 1385-1397.
505. Petersson, E. and Järvi, T. 1999. Fish farming, domestication and conservation biology in salmon and trout. *Report 5, Fiskeriverket*. 79 pp. (In Swedish).
506. Petersson, E. and Järvi, T. 2001. Effects of sea-ranching on Baltic salmon and sea-trout, p. 107 in: *Abstracts from the 44th Conference on Great Lakes Research, June 10-14, 2001*, Great Lakes Science: Making it Relevant.

507. Pettersson, J.C.E., Hansen, M.M., and Bohlin, T. 2001. Does dispersal from landlocked trout explain the coexistence of resident and migratory trout females in a small stream? *Journal of Fish Biology* 58, 487-495.
508. Pettersson, T.M., Lefkovitch, L.P., and Giles, B.E. 1999. The effect of the sterilising anther-smut fungus *Microbotryum violaceum* on the genetic composition of *Silene dioica* populations. *Hereditas* 131, 177-184.
509. Pfriem, P. and Sperlich, D. 1983. Wild O chromosomes of *Drosophila subobscura* from different geographic regions have different effects on viability. *Genetica* 60, 49-60.
510. Philipp, M. and Siegismund, H.R. 2003. What can morphology and isozymes tell us about the history of the *Dryas integrifolia-octopetala* complex? *Molecular Ecology* 12, 2231-2242.
511. Pigliucci, M., Pollard, H., and Cruzan, M.B. 2003. Comparative studies of evolutionary responses to light environments in *Arabidopsis*. *American Naturalist* 161, 68-82.
512. Pinsker, W. and Sperlich, D. 1979. Allozyme variation in natural populations of *Drosophila subobscura* along a north south gradient. *Genetica* 50, 207-220.
513. Pirk, C.W.W., Neumann, P., Moritz, R.F.A., and Pamilo, P. 2001. Intranest relatedness and nestmate recognition in the meadow ant *Formica pratensis* (R.). *Behavioral Ecology and Sociobiology* 49, 366-374.
514. Poulsen, N.A., Nielsen, E.E., Schierup, M.H., Loeschcke, V., and Grønkjær, P. 2006. Long-term stability and effective population size in North Sea and Baltic Sea cod (*Gadus morhua*). *Molecular Ecology* 15, 321-331.
515. Prentice, H.C. and White, R.J. 1988. Variability, population size and isolation: the structuring of diversity in Öland *Gypsophila fastigiata*. *Acta Oecologica - Oecologia Plantarum* 9, 19-29.
516. Prentice, H.C. and Cramer, W. 1990. The plant community as a niche bioassay: environmental correlates of local variation in *Gypsophila fastigiata*. *Journal of Ecology* 78, 313-325.
517. Prentice, H.C. 1992. The structure of morphometric and allozyme variation in relict populations of *Gypsophila fastigiata* (Caryophyllaceae) in Sweden. *Biological Journal of the Linnean Society* 47, 197-216.
518. Prentice, H.C. and Giles, B.E. 1993. Genetic determination of isozyme variation in the bladder campion (*Silene vulgaris* species aggregate). *Hereditas* 118, 217-227.
519. Prentice, H.C., Lönn, M., Lefkovitch, L.P., and Runyeon, H. 1995. Associations between allele frequencies in *Festuca ovina* and habitat variation in the alvar grasslands on the Baltic Island of Öland. *Journal of Ecology* 83, 391-402.
520. Prentice, H.C., Lönn, M., Lager, H., Rosen, E., and van der Maarel, E. 2000. Changes in allozyme frequencies in *Festuca ovina* populations after a 9-year nutrient/water experiment. *Journal of Ecology* 88, 331-347.
521. Prentice, H.C., Lönn, M., Rosquist, G., Ihse, M., and Kindström, M. 2006. Gene diversity in a fragmented population of *Briza media*: grassland continuity in a landscape context. *Journal of Ecology* 94, 87-97.
522. Prentice, H.P. 1986. Genetic variation within and between Öland populations of *Gypsophila fastigiata*. In: *Biosystematics in the Nordic Flora*. Jonsell, B. and Jonsell, L. (eds.), Acta Universitatis Upsaliensis. Symbolae Botanicae Upsalienses, Uppsala, pp. 47-52.

523. Printzen, C., Lumbsch, H.T., Schmitt, I., and Feige, G.B. 1999. A study on the genetic variability of *Biatora helvola* using RAPD markers. *Lichenologist* 31, 491-499.
524. Prus-Glowacki, W. and Szweykowski, J. 1977. Studies on isoenzyme variability in Scots pine (*Pinus sylvestris*) and mountain dwarf pine (*Pinus mugo*) populations. *Bulletin de la Societe des Amis des Sciences et des lettres de Poznan* 17, 15-27.
525. Prus-Glowacki, W. and Szweykowski, J. 1979. Studies on antigenic differences in needle proteins of *Pinus sylvestris* L., *Pinus mugo* Turra, *Pinus uliginosa* Neumann and *Pinus nigra* Arnold. *Acta Societatis Botanicorum Poloniae* 48, 217-238.
526. Prus-Glowacki, W. and Szweykowski, J. 1983. Studies on isoenzyme variability in populations of *Pinus sylvestris* L., *Pinus mugo* Turra, *Pinus uliginosa* Neumann and individuals from a hybrid swarm population. *Bulletin de la Societe des Amis des Sciences et des lettres de Poznan* 22, 107-122.
527. Prus-Glowacki, W., Szweykowski, J., and Nowak, R. 1985. Serotaxonomical investigation of the European pine species. *Silvae Genetica* 34, 162-170.
528. Ramstedt, M. and Hurtado, S. 2005. *Melampsora* willow rust in Chile and northern Europe: part of a metapopulation? In: *Rust diseases of willow and poplar*. Pei, M.H. and McCracken, A.R. (eds.), CABI Publishing, Wallingford, UK, pp. 119-130.
529. Ranius, T. and Douwes, P. 2002. Genetic structure of two pseudoscorpion species living in tree hollows. *Animal biodiversity and conservation* 25, 67-74.
530. Rebecchi, L., Rossi, V., Altiero, T., Bertolani, R., and Menozzi, P. 2003. Reproductive modes and genetic polymorphism in the tardigrade *Richtersius coronifer* (Eutardigrada, Macrobiotidae). *Invertebrate Biology* 122, 19-27.
531. Refseth, U.H., Nesbø, C.L., Stacy, J.E., Vollestad, L.A., Fjeld, E., and Jakobsen, K.S. 1998. Genetic evidence for different migration routes of freshwater fish into Norway revealed by analysis of current perch (*Perca fluviatilis*) populations in Scandinavia. *Molecular Ecology* 7, 1015-1027.
532. Reinhammar, L.-G. 1998. *Variation in Pseudorchis albida s.l. (Orchidaceae) and Carex capitata s.l. (Cyperaceae): Morphology, genetic diversity, ecology and systematics*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
533. Reinhammar, L.G. 1999. Allozyme differentiation between the lowland *Carex capitata* and the alpine *Carex arctogena* (Cyperaceae) in Scandinavia. *Biological Journal of the Linnean Society* 67, 377-389.
534. Remerie, T., Gysels, E., Vierstraete, A., Vanfleteren, J., and Vanreusel, A. 2006. Evidence of genetic differentiation of the brackish water mysid *Neomysis integer* (Crustacea, Mysida) concordant with pleistocene glaciations. *Vie et Milieu-Life and Environment* 56, 15-22.
535. Reusch, T.B.H. 2002. Microsatellites reveal high population connectivity in eelgrass (*Zostera marina*) in two contrasting coastal areas. *Limnology and Oceanography* 47, 78-85.
536. Reusch, T.B.H. 2003. Floral neighbourhoods in the sea: how floral density, opportunity for outcrossing and population fragmentation affect seed set in *Zostera marina*. *Journal of Ecology* 91, 610-615.
537. Riginos, C. and Cunningham, C.W. 2005. Local adaptation and species segregation in two mussel (*Mytilus edulis* x *Mytilus trossulus*) hybrid zones. *Molecular Ecology* 14, 381-400.

538. Ring, O., Jansson, H., Öst, T., and Andersson, T. 1989. Studies of the inheritance of variable loci in grayling (*Thymallus thymallus* L.). *Report, Institute of Freshwater Research, Drottningholm* 5, 36-49. (In Swedish with English summary).
539. Ring, O., Jansson, H., Öst, T., and Andersson, T. 1994. Inheritance of allozymes in the European grayling (*Thymallus thymallus* L.). *Hereditas* 120, 159-163.
540. Ritzlerow, S., Konrad, H., and Stauffer, C. 2004. Phylogeography of the Eurasian pine shoot beetle *Tomicus piniperda* (Coleoptera : Scolytidae). *European Journal of Entomology* 101, 13-19.
541. Robinson-Wolrath, S. 2006. *Morphological and behavioural differentiation in a pipefish*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
542. Rokas, A., Atkinson, R.J., Brown, G.S., West, S.A., and Stone, G.N. 2001. Understanding patterns of genetic diversity in the oak gallwasp *Biorhiza pallida*: demographic history or a Wolbachia selective sweep? *Heredity* 87, 294-304.
543. Rosquist, G. and Prentice, H.C. 2000. Habitat fragmentation and the structure of genetic diversity within disjunct isolates of *Anthericum ramosum* L. (Anthericaceae) in Scandinavia. *Biological Journal of the Linnean Society* 69, 193-212.
544. Rosquist, G. and Prentice, H.C. 2002. Genetic variation in Scandinavian *Anthericum liliago* (Anthericaceae): allopolyploidy, hybridization and immigration history. *Plant Systematics and Evolution* 236, 55-72.
545. Rousi, A., Huttunen, H., and Hyrkas-Lyytikainen, K. 1985. Chromosomes and reproductive behavior of Finnish *Taraxacum* agamospecies. *Nordic Journal of Botany* 5, 127-142.
546. Rudin, D. and Rasmuson, B. 1973. Genetic variation in esterases from needles of *Pinus sylvestris*. *Hereditas* 73, 89-98.
547. Rudin, D. 1974. Gene and genotype frequencies in Swedish Scots pine populations - a study by the aid of the isozyme technique, pp. 465-467 in: *Proceedings of the IUFRO Joint Meeting of Working Parties on Population and Ecological Genetics, Breeding Theory and Progeny Testing. Session VI*. Department of Forest Genetics, Royal College of Forestry, Stockholm.
548. Rudin, D., Eriksson, G., Ekberg, I., and Rasmuson, M. 1974. Studies of allele frequencies and inbreeding in Scots pine populations by the aid of the isozyme technique. *Silvae Genetica* 23, 10-13.
549. Rudin, D. 1975. Inheritance of glutamate-oxolate-transaminases (GOT) from needles and endosperms of *Pinus sylvestris*. *Hereditas* 80, 296-300.
550. Rudin, D. 1977. Leucine-amino-peptidases (LAP) from needles and macrogametophytes of *Pinus sylvestris* L. inheritance of allozymes. *Hereditas* 85, 219-226.
551. Rudin, D. and Lundkvist, K. 1977. Forest isozyme studies in Umeå, Sweden, pp. 133-150 in: *EEC - Symposium on forest tree biochemistry*, Commission of the European Communities. Bruxelles.
552. Rudin, D. and Ekberg, I. 1978. Linkage studies in *Pinus sylvestris* L. - using macrogametophyte allozymes. *Silvae Genetica* 27, 1-12.
553. Rudin, D. and Tigerstedt, P.M.A. 1979. Genetic structure of a naturally regenerated stand of *Pinus sylvestris* L. at Oulanka in Finland - A study by the aid of isozyme markers. *Aquilo, Ser. Zool.* 20, 92-93.

554. Rudin, D. and Ekberg, I. 1982. Genetic structure of open-pollinated progenies from a seed orchard of *Pinus sylvestris*. *Silva Fennica* 16, 87-93.
555. Rudin, D., Muona, O., and Yazdani, R. 1986. Comparison of the mating system of *Pinus sylvestris* in natural stands and seed orchards. *Hereditas* 104, 15-19.
556. Rueness, E.K., Jorde, P.E., Hellborg, L., Stenseth, N.C., Ellegren, H., and Jakobsen, K.S. 2003. Cryptic population structure in a large, mobile mammalian predator: the Scandinavian lynx. *Molecular Ecology* 12, 2623-2633.
557. Runyeon, H. and Prentice, H.C. 1996. Genetic structure in the species-pair *Silene vulgaris* and *S. uniflora* (Caryophyllaceae) on the Baltic island of Öland. *Ecography* 19, 181-193.
558. Runyeon, H. and Prentice, H.C. 1997. Genetic differentiation in the bladder champions, *Silene vulgaris* and *S. uniflora* (Caryophyllaceae), in Sweden. *Biological Journal of the Linnean Society* 61, 559-584.
559. Ruzzante, D.E., Mariani, S., Bekkevold, D., André, C., Mosegaard, H., Clausen, L.A.W., Dahlgren, T.G., Hutchinson, W.F., Hatfield, E.M.C., Torstensen, E., Brigham, J., Simmonds, E.J., Laikre, L., Larsson, L.C., Stet, R.J.M., Ryman, N., and Carvalho, G.R. 2006. Biocomplexity in a highly migratory pelagic marine fish, Atlantic herring. *Proceedings of the Royal Society B: Biological Sciences* 273, 1459-1464.
560. Ryman, N., Beckman, G., Bruun-Petersen, G., and Reuterwall, C. 1977. Variability of red cell enzymes and genetic implications of management policies in Scandinavian moose *Alces alces*. *Hereditas* 85, 157-162.
561. Ryman, N., Allendorf, F.W., and Ståhl, G. 1979. Reproductive isolation with little genetic divergence in sympatric populations of brown trout *Salmo trutta*. *Genetics* 92, 247-262.
562. Ryman, N., Reuterwall, C., Nygrén, K., and Nygrén, T. 1980. Genetic variation and differentiation in Scandinavian moose (*Alces alces*): Are large mammals monomorphic? *Evolution* 34, 1037-1049.
563. Ryman, N. and Ståhl, G. 1980. Genetic changes in hatchery stocks of brown trout *Salmo trutta*. *Canadian Journal of Fisheries and Aquatic Sciences* 37, 82-87.
564. Ryman, N. 1980. Fish gene pools. *Ecological Bulletins* 34, Editorial Service, FRN, Stockholm. (edited Symposium report).
565. Ryman, N. 1981. Conservation of genetic resources: experiences from the brown trout (*Salmo trutta*). In: *Fish gene pools. Ecological Bulletins*. Ryman, N. (ed.), Editorial Service, FRN, Stockholm, pp. 61-74.
566. Ryman, N. and Ståhl, G. 1981. Genetic perspectives of the identification and conservation of Scandinavian stocks of fish. *Canadian Journal of Fisheries and Aquatic Sciences* 38, 1562-1575.
567. Ryman, N. 1983. Patterns of distribution of biochemical genetic variation in salmonids: differences between species. *Aquaculture* 33, 1-21.
568. Ryman, N., Lagercrantz, U., Andersson, L., Chakraborty, R., and Rosenberg, R. 1984. Lack of correspondence between genetic and morphologic variability patterns in Atlantic herring (*Clupea harengus*). *Heredity* 53, 687-704.
569. Ryman, N., Utter, F., Allendorf, F.W., Busack, C., and Shaklee, J. 1993. Genetic concerns about hatchery populations - a comment on the conclusions of Nyman and Ring. *Journal of Fish Biology* 42, 471-480.

570. Ryman, N. 1994. Populationsgenetiska synpunkter på utsättning av odlad lax i Gullspångsälven. *Report to the Swedish Board of Fisheries*. 6 pp. (In Swedish).
571. Ryman, N. 1997. Minimizing adverse effects of fish culture: understanding the genetics of populations with overlapping generations. *ICES Journal of Marine Science* 54, 1149-1159.
572. Ryman, N. 1998. Tolkning av genetiska observationer hos lax i Gullspångs- och Klarälven - sammanblandning eller ej? *Report to the Swedish Board of Fisheries*. 4 pp. (In Swedish).
573. Rytman, H., Tegelström, H., and Jansson, H. 1979. G- and C-banding in four related *Larus* species (Aves). *Hereditas* 91, 143-148.
574. Rytman, H., Tegelström, H., and Jansson, H. 1980. Immunoelectrophoretical comparison of sera from herring gull (*Larus argentatus*) and lesser black-backed gull (*Larus fuscus*) (Aves). *Hereditas* 92, 113-116.
575. Rytman, H. and Tegelström, H. 1981. Low degree of isozyme variation within and between herring gull, lesser black-backed gull and their British and Swedish subspecies. *Hereditas* 94, 161-164.
576. Räsänen, K., Laurila, A., and Merilä, J. 2003. Geographic variation in acid stress tolerance of the moor frog, *Rana arvalis*. I. Local adaptation. *Evolution* 57, 352-362.
577. Rödström, E.M. 1999. *Temperature and salinity tolerance, and genetic differentiation of oysters (Ostrea edulis, L.): implications for culture and management on the Swedish west coast*. Licentiate thesis, Göteborg University, Göteborg, Sweden.
578. Röhner, M., Bastrop, R., and Jürss, K. 1996. Colonization of Europe by two American genetic types or species of the genus *Marenzelleria* (Polychaeta: Spionidae). An electrophoretic analysis of allozymes. *Marine Biology* 127, 277-287.
579. Røed, K.H. 1998. Microsatellite variation in Scandinavian Cervidae using primers derived from Bovidae. *Hereditas* 129, 19-25.
580. Salomon, M. 2002. A revised cline theory that can be used for quantified analyses of evolutionary processes without parapatric speciation. *Journal of Biogeography* 29, 509-517.
581. Samils, B., Stepien, V., Lagercrantz, U., Lascoux, M., and Gullberg, U. 2001. Genetic diversity in relation to sexual and asexual reproduction in populations of *Melampsora larici-epitea*. *European Journal of Plant Pathology* 107, 871-881.
582. Samils, B., Lagercrantz, U., Lascoux, M., and Gullberg, U. 2001. Genetic structure of *Melampsora epitea* populations in Swedish *Salix viminalis* plantations. *European Journal of Plant Pathology* 107, 399-409.
583. Samils, B. 2001. *Population genetic structure of Melampsora larici-epitea, a willow leaf rust fungus*. PhD thesis, Swedish University of Agricultural Sciences, Uppsala, Sweden. Acta Universitatis agriculturae Sueciae. Agraria 292.
584. Samils, B., Lagercrantz, U., and Gullberg, U. 2002. Genetic relationships among genetically distinct forms of *Melampsora larici-epitea* and related species based on AFLP data. *Forest Pathology* 32, 379-386.
585. Samils, B. 2005. Genetic structure of *Melampsora larici-epitea* populations in northwestern Europe. In: *Rust diseases of willow and poplar*. Pei, M.H. and McCracken, A.R. (eds.), CABI Publishing, Wallingford, UK, pp. 91-98.
586. Sandström, M. 1999. Distribution of mating types of *Phytophthora infestans* in Sweden., pp. 281-282 in: *PAV-Report, 3. Workshop on the European Network for*

- Development of an Integrated Control Strategy of Potato Late Blight, Uppsala (Sweden), 9-13 Sep 1998.* Proefstation voor de Akkerbouw en de Groenteteelt in de Vollegrond. Lelystad, Netherlands.
587. Sannikov, S.N., Petrova, I.V., Sannikova, N.S., and Filippova, T.V. 2005. Gradient genogeographic analysis of *Pinus sylvestris* L. populations in Europe. *Russian Journal of Ecology* 36, 377-382.
588. Saura, A., Lakovaara, S., Lokki, J., and Lankinen, P. 1973. Genic variation in central and marginal populations of *Drosophila subobscura*. *Hereditas* 75, 33-46.
589. Saura, A. 1974. Genic variation in Scandinavian populations of *Drosophila bifasciata*. *Hereditas* 76, 161-172.
590. Saura, A., Lokki, J., Lankinen, P., and Suomalainen, E. 1976. Genetic polymorphism and evolution in parthenogenetic animals. IV. Triploid *Otiorrhynchus salicis* (Coleoptera: Curculionidae). *Entomologica Scandinavica* 7, 1-6.
591. Saura, A., Lokki, J., Lankinen, P., and Suomalainen, E. 1976. Genetic polymorphism and evolution in parthenogenetic animals. III. Tetraploid *Otiorrhynchus scaber* Coleoptera Curculionidae. *Hereditas* 82, 79-100.
592. Saura, A., Lokki, J., and Suomalainen, E. 1977. Selection and genetic differentiation in parthenogenetic populations. *Lecture Notes in Biomathematics* 19, 381-402.
593. Sætre, G.P., Borge, T., Lindell, J., Moum, T., Primmer, C.R., Sheldon, B.C., Haavie, J., Johnsen, A., and Ellegren, H. 2001. Speciation, introgressive hybridization and nonlinear rate of molecular evolution in flycatchers. *Molecular Ecology* 10, 737-749.
594. Scheepers, D., Eloy, M.C., and Briquet, M. 1997. Use of RAPD patterns for clone verification and in studying provenance relationships in Norway spruce (*Picea abies*). *Theoretical and Applied Genetics* 94, 480-485.
595. Schiemann, K., Tyler, T., and Widen, B. 2000. Allozyme diversity in relation to geographic distribution and population size in *Lathyrus vernus* (L.) Bernh. (Fabaceae). *Plant Systematics and Evolution* 225, 119-132.
596. Schonswetter, P., Paun, O., Tribsch, A., and Niklfeld, H. 2003. Out of the Alps: Colonization of northern Europe by East Alpine populations of the glacier buttercup *Ranunculus glacialis* L. (Ranunculaceae). *Molecular Ecology* 12, 3373-3381.
597. Schonswetter, P., Popp, M., and Brochmann, C. 2006. Rare arctic-alpine plants of the European Alps have different immigration histories: the snow bed species *Minuartia biflora* and *Ranunculus pygmaeus*. *Molecular Ecology* 15, 709-720.
598. Schreiber, A., Eisinger, M., Rumohr, H., and Storch, V. 1996. Icy heritage: Ecological evolution of the postglacial Baltic Sea reflected in the allozymes of a living fossil, the priapulid *Halicryptus spinulosus*. *Marine Biology* 125, 671-685.
599. Schreiber, A., Weitzel, T., and Strauss, E. 1998. Allozyme variability in black grouse (*Tetrao tetrix*), a tetraonid with lek behaviour. *Journal für Ornithologie* 139, 55-66.
600. Schreiber, A. 2000. Genetic variability in black grouse - What actually is a population?, pp. 559-562 in: *Cahiers d'Ethologie Fondamentale et Appliquee, Animale et Humaine, The fate of black grouse (Tetrao tetrix) in European moors and heathlands, 26-29 Sept 2000*, Liege, Belgium.
601. Seddon, J.M. and Ellegren, H. 2004. A temporal analysis shows major histocompatibility complex loci in the Scandinavian wolf population are consistent with neutral evolution. *Proceedings of the Royal Society B: Biological Sciences* 271, 2283-2291.

602. Seddon, J.M., Parker, H.G., Ostrander, E.A., and Ellegren, H. 2005. SNPs in ecological and conservation studies: a test in the Scandinavian wolf population. *Molecular Ecology* 14, 503-511.
603. Seddon, J.M., Sundqvist, A.K., Björnerfeldt, S., and Ellegren, H. 2006. Genetic identification of immigrants to the Scandinavian wolf population. *Conservation Genetics* 7, 225-230.
604. Seppä, P., Gyllenstrand, N., Corander, J., and Pamilo, P. 2006. Coexistence of the social types: genetic population structure in the ant *Formica exsecta*. *Evolution* 58, 2462-2471.
605. Shaw, A.J. 1994. Systematics of *Mielichhoferia* (Bryaceae: Musci). III. Hybridization between *M. elongata* and *M. mielichhoferiana*. *American Journal of Botany* 81, 782-790.
606. Shaw, A.J. and Schneider, R.E. 1995. Genetic biogeography of the rare "copper moss," *Mielichhoferia elongata* (Bryaceae). *American Journal of Botany* 82, 8-17.
607. Shaw, A.J. 2000. Molecular phylogeography and cryptic speciation in the mosses, *Mielichhoferia elongata* and *M-mielichhoferiana* (Bryaceae). *Molecular Ecology* 9, 595-608.
608. Sieber, V.K. and Murray, B.G. 1981. Structural and numerical chromosomal polymorphism in natural populations of *Alopecurus* (Poaceae). *Plant Systematics and Evolution* 139, 121-136.
609. Sigurgeirsson, A. and Szmidt, A.E. 1992. Separate chloroplast DNA lineages in *Picea abies* (L.) Karst. In: *PhD thesis: Insights into the evolution of Picea from chloroplast DNA*. Sigurgeirsson, A. (ed.), Faculty of Forestry, The Swedish University of Agricultural Sciences, Umeå
610. Sigurgeirsson, A., Szmidt, A.E., Ennos, R.A., and Lindgren, D. 1992. Chloroplast DNA diversity and differentiation in Norway spruce. In: *Ph. D. thesis by Sigurgeirsson*. Sigurgeirsson, A. (ed.), Faculty of Forestry, The Swedish University of Agricultural Sciences, Umeå
611. Sigurgeirsson, A. and Szmidt, A.E. 1993. Chloroplast DNA diversity, phylogenetics and hybridization in *Picea*. In: *Forest development in cold climates*. Aldén, J., Mastrantonio, J.L., and Ödum, S. (eds.), Plenum Press, New York and London, pp. 369-382.
612. Sigurgeirsson, A. and Szmidt, A.E. 1993. Phylogenetic and biogeographic implications of chloroplast DNA variation in *Picea*. *Nordic Journal of Botany* 13, 233-246.
613. Sims, K.P., Sen, R., Watling, R., and Jeffries, P. 1999. Species and population structures of *Pisolithus* and *Scleroderma* identified by combined phenotypic and genomic marker analysis. *Mycological Research* 103, 449-458.
614. Sinclair, W.T., Morman, J.D., and Ennos, R.A. 1999. The postglacial history of Scots pine (*Pinus sylvestris* L.) in western Europe: evidence from mitochondrial DNA variation. *Molecular Ecology* 8, 83-88.
615. Sjödin, P. 2006. *Effects of selection and demography on DNA polymorphism in black mustard (Brassica nigra)*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.

616. Sjögren-Gulve, P. and Berg, L.M. 1999. Allozyme variation as a demographic predictor at high latitudes: the moor frog and the pool frog at 60 degrees N. *Hereditas* 130, 317-323.
617. Sjögren, P. 1991. Genetic variation in relation to demography of peripheral pool frog populations *Rana lessonae*. *Evolutionary Ecology* 5, 248-271.
618. Snell, C., Tetteh, J., and Evans, I.H. 2005. Phylogeography of the pool frog (*Rana lessonae* Camerano) in Europe: evidence for native status in Great Britain and for an unusual postglacial colonization route. *Biological Journal of the Linnean Society* 85, 41-51.
619. Sperisen, C., Büchler, U., Mátyás, G., and Ackzell, L. 1999. Mitochondrial DNA variation provides a tool for identifying introduced provenances: a case study in Norway spruce. In: *Which DNA Marker for Which Purpose? Final Compendium of the Research Project Development, optimisation and validation of molecular tools for assessment of biodiversity in forest trees in the European Union DGXII Biotechnology FW IV Research Programme Molecular Tools for Biodiversity*. Gillet, E.M. (ed.), URL <http://webdoc.sub.gwdg.de/ebook/y/1999/whichmarker/index.htm>
620. Spong, G. and Hellborg, L. 2002. A near-extinction event in lynx: Do microsatellite data tell the tale? *Conservation Ecology* 6.
621. Sruoga, A., Butkauskas, D., Švazas, S., Bea, A., and Mozalienė, E. 2005. Identification of flyways of woodpigeon (*Columba palumbus*) in Europe by using genetic methods. *Acta Zoologica Lithuanica* 15, 248-253.
622. St Louis, V.L. and Barlow, J.C. 1988. Genetic differentiation among ancestral and introduced populations of the eurasian tree sparrow *Passer montanus*. *Evolution* 42, 266-276.
623. Stanley, H.F., Casey, S., Carnahan, J.M., Goodman, S., Harwood, J., and Wayne, R.K. 1996. Worldwide patterns of mitochondrial DNA differentiation in the harbor seal (*Phoca vitulina*). *Molecular Biology and Evolution* 13, 368-382.
624. Stauffer, C., Lakatos, F., and Hewitt, G.M. 1999. Phylogeography and postglacial colonization routes of *Ips typographus* L-(Coleoptera, Scolytidae). *Molecular Ecology* 8, 763-773.
625. Stenlid, J. 1985. Population structure of *Heterobasidion annosum* as determined by somatic incompatibility, sexual incompatibility, and isoenzyme patterns. *Canadian Journal of Botany* 63, 2268-2273.
626. Stenlid, J., Karlsson, J.O., and Högberg, N. 1994. Intraspecific genetic variation in *Heterobasidion annosum* revealed by amplification of minisatellite DNA. *Mycological Research* 98, 57-63.
627. Stenlid, J. and Vasiliauskas, R. 1998. Genetic diversity within and among vegetative compatibility groups of *Stereum sanguinolentum* determined by arbitrary primed PCR. *Molecular Ecology* 7, 1265-1274.
628. Stenseth, N.C., Jorde, P.E., Chan, K.-S., Hansen, E., Knutsen, H., André, C., Skogen, M.D., and Lekve, K. 2006. Ecological and genetic impact of Atlantic cod larval drift in the Skagerrak. *Proceedings of the Royal Society B: Biological Sciences* 273, 1085-1092.
629. Stille, B. 1985. Population genetics of the parthenogenetic gall wasp *Diplolepis rosae* Hymenoptera Cynipidae. *Genetica* 67, 145-152.

630. Stille, M. and Stille, B. 1992. Intra- and inter-nest variation in mitochondrial DNA in the polygynous ant *Leptothorax acervorum* (Hymenoptera: Formicidae). *Insectes Sociaux* 39, 335-340.
631. Stille, M. and Stille, B. 1993. Intrapopulation nestclusters of maternal mtDNA lineages in the polygynous ant *Leptothorax acervorum* (Hymenoptera: Formicidae). *Insect Molecular Biology* 1, 117-121.
632. Ståhl, G. and Ryman, N. 1979. Genetic analysis of brown trout populations in Lake Lulejaure. *Report 1, Department of Genetics, Stockholm University*. 11 pp. (In Swedish with English summary).
633. Ståhl, G. 1980. *Genetic variation in two closely related salmonids, brown trout (Salmo trutta) and Atlantic salmon (Salmo salar): a comparison for variability patterns and some management considerations*. PhD thesis, Department of Genetics, Stockholm University, Stockholm, Sweden.
634. Ståhl, G. 1981. Genetic differentiation among natural populations of Atlantic salmon (*Salmo salar*) in northern Sweden. In: *Fish gene pools. Ecological Bulletins* 34. Ryman, N. (ed.), FRN, Stockholm, pp. 95-105.
635. Ståhl, G. and Ryman, N. 1982. Simple Mendelian inheritance at a locus coding for alpha-glycerophosphate dehydrogenase in brown trout (*Salmo trutta*). *Hereditas* 96, 313-315.
636. Ståhl, G. 1983. Differences in the amount and distribution of genetic variation between natural populations and hatchery stocks of Atlantic salmon. *Aquaculture* 33, 23-32.
637. Ståhl, G. 1987. Genetic population structure of Atlantic salmon. In: *Population Genetics and Fishery Management*. Washington Sea Grant Publications/University of Washington Press, Seattle and London, pp. 121-140.
638. Ståhl, G. and Ryman, N. 1987. Lax och öring i Vänernområdet. En populationsgenetisk analys. *Report 3357, Swedish Environmental Protection Agency*.
639. Suchentrunk, F., Polster, K., Giacometti, M., Ratti, P., Thulin, C.-G., Ruhlè, C., Vasilév, A.G., and Slotta-Bachmayr, L. 1999. Spatial partitioning of allozyme variability in European mountain hares (*Lepus timidus*): gene pool divergence across a disjunct distributional range? *Zeitschrift für Säugetierkunde-International Journal of Mammalian Biology* 64, 308-318.
640. Suda, J. 2002. New DNA ploidy level in *Empetrum* (Empetraceae) revealed by flow cytometry. *Annales Botanici Fennici* 39, 133-141.
641. Sundberg, P. and Janson, K. 1987. Polymorphism in *Oerstedtia dorsalis* (Abildgaard, 1806) revisited - electrophoretic evidence for a species complex. *Hydrobiologia* 156, 93-98.
642. Sundqvist, A.K., Ellegren, H., Olivier, M., and Vilà, C. 2001. Y chromosome haplotyping in Scandinavian wolves (*Canis lupus*) based on microsatellite markers. *Molecular Ecology* 10, 1959-1966.
643. Svanbäck, R. and Eklöv, P. 2006. Genetic variation and phenotypic plasticity: causes of morphological and dietary variation in Eurasian perch. *Evolutionary Ecology Research* 8, 37-49.
644. Svedäng, H. 1990. Genetic basis of life-history variation of dwarf and normal arctic charr, *Salvelinus alpinus* (L.), in Stora Rösjön, central Sweden. *Journal of Fish Biology* 36, 917-932.

645. Svensson, E.I., Kristoffersen, L., Oskarsson, K., and Bensch, S. 2004. Molecular population divergence and sexual selection on morphology in the banded demoiselle (*Calopteryx splendens*). *Heredity* 93, 423-433.
646. Svärdson, G. 1945. Chromosome studies on Salmonidae. *Report, Institute of Freshwater Research, Drottningholm* 23, 1-151.
647. Svärdson, G. 1949. The Coregonid problem. I. Some general aspects of the problem. *Report, Institute of Freshwater Research, Drottningholm* 29, 89-101.
648. Svärdson, G. 1950. The Coregonid problem. II. Morphology of two coregonid species in different environments. *Report, Institute of Freshwater Research, Drottningholm* 31, 151-162.
649. Svärdson, G. 1951. The Coregonid problem. III. Whitefish from the Baltic, successfully introduced into fresh waters in the North of Sweden. *Report, Institute of Freshwater Research, Drottningholm* 32, 79-125.
650. Svärdson, G. 1952. The Coregonid problem. IV. The significance of scales and gillrakers. *Report, Institute of Freshwater Research, Drottningholm* 33, 204-232.
651. Svärdson, G. 1953. The Coregonid problem. V. Sympatric whitefish species of the lakes Idsjön, Storsjön and Hornavan. *Report, Institute of Freshwater Research, Drottningholm* 34, 141-166.
652. Svärdson, G. 1957. The Coregonid problem. VI. The Palearctic species and their intergrades. *Report, Institute of Freshwater Research, Drottningholm* 38, 267-356.
653. Svärdson, G. 1958. Interspecific hybrid populations in *Coregonus*. In: *Systematics of today. Proceedings of a symposium held at the university of Uppsala in commemoration of the 250th anniversary of the birth of Carolus Linnaeus*. Hedberg, O. (ed.), Lundequistska, Uppsala, pp. 231-239.
654. Svärdson, G. 1961. Young sibling fish in northwestern Europe. In: *Vertebrate Speciation*. Blair, W.F. (ed.), University of Texas Press, Austin, pp. 498-513.
655. Svärdson, G. 1965. The Coregonid problem. VII. The isolating mechanisms in sympatric species. *Report, Institute of Freshwater Research, Drottningholm* 46, 95-123.
656. Svärdson, G. 1970. Significance of introgression in Coregonid evolution. In: *Biology of Coregonid Fishes*. Lindsey, C.C. and Woods, C.S. (eds.), University of Manitoba Press, Winnipeg, pp. 33-59.
657. Svärdson, G. 1979. Speciation of Scandinavian *Coregonus*. *Report, Institute of Freshwater Research, Drottningholm* 57.
658. Szmidt, A.E. 1979. Inheritance of catalase multiple forms in Scots pine (*Pinus sylvestris* L.) endosperm. *Arboretum Kornickie* 24, 105-110.
659. Szmidt, A.E. 1980. Genetic variation among eleven populations of Scots pine (*Pinus sylvestris* L.) as determined by catalase polymorphism. *Arboretum Kornickie* 25, 181-187.
660. Szmidt, A.E. and Yazdani, R. 1984. Electrophoretic studies of genetic polymorphism of shikimate and 6-phosphogluconate dehydrogenases in Scots pine (*Pinus sylvestris* L.). *Arboretum Kornickie* 29, 63-72.
661. Szmidt, A.E. and Muona, O. 1985. Genetic effects of Scots pine (*Pinus sylvestris* L.) domestication. *Lecture Notes in Biomathematics* 60, 241-252.
662. Szmidt, A.E., Lidholm, J., and Hällgren, J.-E. 1986. DNA extraction and preliminary characterization of chloroplast DNA from *Pinus sylvestris* and *Pinus contorta*. In: *Proc. Frans Kempe symposium on Provenances and Forest Tree Breeding for High*

- latitudes*. Lindgren, D. (ed.), Swedish University of Agricultural Sciences, Umeå, pp. 269-280.
663. Szmidt, A.E. 1987. Genetic composition of seed orchard crops. *Forest Ecology and Management* 19, 227-232.
664. Szmidt, A.E. and Muona, O. 1989. Linkage relationships in Scots pine (*Pinus sylvestris* L.). *Hereditas* 111, 91-97.
665. Szmidt, A.E. and Wang, X.-R. 1992. DNA markers in forest genetics. In: *Genetic Variation in Forest Tree Populations in Europe*. Mueller-Starck, G. and Ziehe, M. (eds.), Sauerländer's Verlag, Frankfurt am Main, pp. 79-94.
666. Szmidt, A.E. and Wang, X. 1993. Molecular systematics and genetic differentiation of *Pinus sylvestris* (L.) and *P. densiflora* (Sieb. et Zucc.). *Theoretical and Applied Genetics* 86, 159-165.
667. Szmidt, A.E., Wang, X.R., and Lu, M.-Z. 1996. Empirical assessment of allozyme and RAPD variation in *Pinus sylvestris* (L.) using haploid tissue analysis. *Heredity* 76, 412-420.
668. Szmidt, A.E., Nilsson, M.C., Briceno, E., Zackrisson, O., and Wang, X.R. 2002. Establishment and genetic structure of *Empetrum hermaphroditum* populations in northern Sweden. *Journal of Vegetation Science* 13, 627-634.
669. Säisä, M., Koljonen, M.L., Gross, R., Nilsson, J., Tahtinen, J., Koskiniemi, J., and Vasemägi, A. 2005. Population genetic structure and postglacial colonization of Atlantic salmon (*Salmo salar*) in the Baltic Sea area based on microsatellite DNA variation. *Canadian Journal of Fisheries and Aquatic Sciences* 62, 1887-1904.
670. Säll, T., Jakobsson, M., Lind-Halldén, C., and Halldén, C. 2003. Chloroplast DNA indicates a single origin of the allotetraploid *Arabidopsis suecica*. *Journal of Evolutionary Biology* 16, 1019-1029.
671. Söderström, O. and Nilsson, J. 1986. Redescription of *Parameletus chelififer* Bengtsson and *P. minor* (Bengtsson), with keys to nymphal and adult stages of the Fennoscandian species of Siphonuridae (Ephemeroptera). *Entomologica Scandinavica* 17, 107-117.
672. Taberlet, P., Swenson, J.E., Sandegren, F., and Bjärvall, A. 1995. Localization of a contact zone between two highly divergent mitochondrial DNA lineages of the brown bear *Ursus arctos* in Scandinavia. *Conservation Biology* 9, 1255-1261.
673. Tallmon, D.A., Bellemain, E., Swenson, J.E., and Taberlet, P. 2004. Genetic monitoring of Scandinavian brown bear effective population size and immigration. *Journal of Wildlife Management* 68, 960-965.
674. Tatarenkov, A. and Johannesson, K. 1994. Habitat related allozyme variation on a microgeographic scale in the marine snail *Littorina mariae* (Prosobranchia: Littorinacea). *Biological Journal of the Linnean Society* 53, 105-125.
675. Tatarenkov, A., Bergström, L., Jönsson, R.B., Serrão, E.A., Kautsky, L., and Johannesson, K. 2005. Intriguing asexual life in marginal populations of the brown seaweed *Fucus vesiculosus*. *Molecular Ecology* 14, 647-651.
676. Teeri, T., Saura, A., and Lokki, J. 1984. Chloroplast DNA from *Calamagrostis* species by selective lysis of organelles. *Hereditas* 101, 123-126.
677. Tegelström, H., Jansson, H., and Rytman, H. 1980. Isozyme differences among three related *Larus* species (Aves). *Hereditas* 92, 117-122.

678. Tegelström, H. 1987. Genetic variability in mitochondrial DNA in a regional population of the great tit *Parus major*. *Biochemical Genetics* 25, 95-110.
679. Tegelström, H. 1987. Transfer of mitochondrial DNA from the northern red-backed vole (*Clethrionomys rutilus*) to the bank vole (*C. glareolus*). *Journal of Molecular Evolution* 24, 218-237.
680. Tegelström, H., Wyöni, P., Gelter, H., and Jaarola, M. 1988. Concordant divergence in proteins and mitochondrial DNA between two vole species in the genus *Clethrionomys*. *Biochemical Genetics* 26, 223-237.
681. Tegelström, H. and Gelter, H.P. 1990. Haldane's rule and sex biased gene flow between two hybridizing flycatcher species (*Ficedula albicollis* and *F. hypoleuca*, Aves: Muscicapidae). *Evolution* 44, 2012-2021.
682. Tegelström, H., Gelter, H.P., and Jaarola, M. 1990. Variation in pied flycatcher *Ficedula hypoleuca* mitochondrial DNA. *AUK* 107, 730-736.
683. Tegelström, H. and Sjöberg, G. 1995. Introduced Swedish Canada geese (*Branta canadensis*) have low levels of genetic variation as revealed by DNA fingerprinting. *Journal of Evolutionary Biology* 8, 195-207.
684. Tegelström, H. and von Essen, L. 1996. DNA fingerprinting of captive breeding pairs of lesser white-fronted geese (*Anser erythropus*) with unknown pedigrees. *Biochemical Genetics* 34, 287-296.
685. Tegelström, H. and Sjögren-Gulve, P. 2004. Genetic differentiation among northern European pool frog (*Rana lessonae*) populations. *Herpetological Journal* 14, 187-193.
686. Terhivuo, J. and Saura, A. 1996. Clone pool structure and morphometric variation in endogeic and epigeic North-European parthenogenetic earthworms (Oligochaeta: Lumbricidae). *Pedobiologia* 40, 226-239.
687. Thingsgaard, K. 2001. Population structure and genetic diversity of the amphiatlantic haploid peatmoss *Sphagnum affine* (Sphagnopsida). *Heredity* 87, 485-496.
688. Thorsén, J. 1996. Description of the genetic structure of *Salix viminalis* L. in nature by isozymes and morphological (quantitative) traits. *Swedish University of Agricultural Sciences, Uppsala, Sweden*. 27 pp.
689. Thorsén, J., Jorde, P.E., Aravanopoulos, F.A., Gullberg, U., and Zsuffa, L. 1997. Inheritance and linkage of isozyme loci in the basket willow *Salix viminalis* L. *Hereditas* 88, 145-150.
690. Thulin, C.-G., Isaksson, M., and Tegelström, H. 1997. The origin of Scandinavian mountain hares (*Lepus timidus*) [colonisation history, mtDNA control region, DNA sequency], pp. 463-475 in: *Gibier Faune Sauvage, 12. Atelier international sur les lagomorphes, Clermont Ferrand (France), 8-11 Jul 1996*.
691. Thulin, C.-G., Jaarola, M., and Tegelström, H. 1997. The occurrence of mountain hare mitochondrial DNA in wild brown hares. *Molecular Ecology* 6, 463-467.
692. Thulin, C.-G. 2000. *Hybridisation between introduced brown hares and native mountain hares in Sweden*. PhD thesis, Acta Universitatis Upsaliensis. Comprehensive Summaries of Uppsala Dissertations from the Faculty of Science and Technology, Uppsala.
693. Thulin, C.-G. and Tegelström, H. 2001. High mtDNA haplotype diversity among introduced Swedish brown hares *Lepus europaeus*. *Acta Theriologica* 46, 375-384.

694. Thulin, C.-G., Tegelström, H., and Fredga, K. 2003. Haplotype-diversity of mountain hare mtDNA among native mountain-hares and introduced brown hares in Scandinavia. *Annales Zoologici Fennici* 40, 45-52.
695. Thulin, C.-G., Stone, J., Tegelström, H., and Walker, C.W. 2006. Species assignment and hybrid identification among Scandinavian hares *Lepus europaeus* and *L-timidus*. *Wildlife Biology* 12, 29-38.
696. Thulin, C.-G. 2006. Microsatellite investigation of roe deer (*Capreolus capreolus*) in Scandinavia reveals genetic differentiation of a Baltic Sea Island population. *European Journal of Wildlife Research* 52, 228-235.
697. Tiedemann, R., Harder, J., Gmeiner, C., and Haase, E. 1996. Mitochondrial DNA sequence patterns of harbour porpoises (*Phocoena phocoena*) from the North and the Baltic sea. *Zeitschrift für Säugetierkunde-International Journal of Mammalian Biology* 61, 104-111.
698. Tiedemann, R. and Noer, H. 1998. Geographic partitioning of mitochondrial DNA patterns in European eider *Somateria mollissima*. *Hereditas* 128, 159-166.
699. Tiedemann, R., von Kistowski, K.G., and Noer, H. 1999. On sex-specific dispersal and mating tactics in the common eider *Somateria mollissima* as inferred from the genetic structure of breeding colonies. *Behaviour* 136, 1145-1155.
700. Tiedemann, R., Paulus, K.B., Scheer, M., von Kistowski, K.G., Skirnisson, K., Bloch, D., and Dam, M. 2004. Mitochondrial DNA and microsatellite variation in the eider duck (*Somateria mollissima*) indicate stepwise postglacial colonization of Europe and limited current long-distance dispersal. *Molecular Ecology* 13, 1481-1494.
701. Troell, K., Mattsson, J.G., Alderborn, A., and Höglund, J. 2003. Pyrosequencing(TM) analysis identifies discrete populations of *Haemonchus contortus* from small ruminants. *International Journal for Parasitology* 33, 765-771.
702. Tyler, T., Prentice, H.C., and Widén, B. 2002. Geographic variation and dispersal history in Fennoscandian populations of two forest herbs. *Plant Systematics and Evolution* 233, 47-64.
703. Tyler, T. 2002. Geographical distribution of allozyme variation in relation to post-glacial history in *Carex digitata*, a widespread European woodland sedge. *Journal of Biogeography* 29, 919-930.
704. Tyler, T. 2002. Large-scale geographic patterns of genetic variation in *Melica nutans*, a widespread Eurasian woodland grass. *Plant Systematics and Evolution* 236, 73-87.
705. Tyler, T. 2004. Studies in the *Melica ciliata*-complex: 1. Distribution of allozyme variation within and among individuals, populations and geographic regions. *Plant Systematics and Evolution* 248, 1-30.
706. Uimaniemi, L., Orell, M., Mönkkönen, M., Huhta, E., Jokimäki, J., and Lumme, J. 2000. Genetic diversity in the Siberian jay *Perisoreus infaustus* in fragmented old-growth forests of Fennoscandia. *Ecography* 23, 669-677.
707. Uller, T., Olsson, M., and Madsen, T. 2003. Family and population effects on disease resistance in a reptile. *Heredity* 91, 112-116.
708. Vainio, J.K. and Väinölä, R. 2003. Refugial races and postglacial colonization history of the freshwater amphipod *Gammarus lacustris* in Northern Europe. *Biological Journal of the Linnean Society* 79, 523-542.

709. van Rossum, F. and Prentice, H.C. 2004. Structure of allozyme variation in Nordic *Silene nutans* (Caryophyllaceae): population size, geographical position and immigration history. *Biological Journal of the Linnean Society* 81, 357-371.
710. Vasemägi, A. 2004. Compensatory releases reduce genetic differentiation among Atlantic salmon populations in the Baltic Sea: evidence from the River Ume-Vindelälven. *Journal of Fish Biology* 65 (Suppl. A), 324-325.
711. Vasemägi, A. 2004. *Evolutionary genetics of Atlantic salmon (Salmo salar L.) : molecular markers and applications*. PhD thesis, Department of Aquaculture, Swedish University of Agricultural Sciences, Umeå, Sweden. Acta Universitatis Agriculturae Sueciae. Silvestria 324.
712. Vasemägi, A., Gross, R., Paaver, T., Koljonen, M.L., Säisä, M., and Nilsson, J. 2005. Analysis of gene associated tandem repeat markers in Atlantic salmon (*Salmo salar* L.) populations: implications for restoration and conservation in the Baltic Sea. *Conservation Genetics* 6, 385-397.
713. Vasiliauskas, R. and Stenlid, J. 1997. Population structure and genetic variation in *Nectria fuckeliana*. *Canadian Journal of Botany-Revue Canadienne de Botanique* 75, 1707-1713.
714. Vasiliauskas, R., Stenlid, J., and Thomsen, I.M. 1998. Clonality and genetic variation in *Amylostereum areolatum* and *A-chailletii* from northern Europe. *New Phytologist* 139, 751-758.
715. Vasiliauskas, R. and Stenlid, J. 1998. Population structure and genetic variation in *Cylindrobasidium evolvens*. *Mycological Research* 102, 1453-1458.
716. Vasiliauskas, R., Johannesson, H., and Stenlid, J. 1999. Molecular relationships within the genus *Amylostereum* as determined by internal transcribed spacer sequences of the ribosomal DNA. *Mycotaxon* 71, 155-161.
717. Vasseur, V., Rey, P., Bellanger, E., Brygoo, Y., and Tirilly, Y. 2005. Molecular characterization of *Pythium* group F isolates by ribosomal- and intermicrosatellite-DNA regions analysis. *European Journal of Plant Pathology* 112, 301-310.
718. Verspoor, E., Beardmore, J.A., Consuegra, S., De Leaniz, C.G., Hindar, K., Jordan, W.C., Koljonen, M.L., Mahkrov, A.A., Paaver, T., Sanchez, J.A., Skaala, O., Titov, S., and Cross, T.F. 2005. Population structure in the Atlantic salmon: insights from 40 years of research into genetic protein variation. *Journal of Fish Biology* 67, 3-54.
719. Vettori, C., Paffetti, D., Paule, L., and Giannini, R. 2004. Identification of the *Fagus sylvatica* L. and *Fagus orientalis* Lipsky species and intraspecific variability. *Forest Genetics* 11, 223-230.
720. Vilà, C., Walker, C., Sundqvist, A.K., Flagstad, Ø., Andersone, Z., Casulli, A., Kojola, I., Valdmann, H., Halverson, J., and Ellegren, H. 2003. Combined use of maternal, paternal and bi-parental genetic markers for the identification of wolf-dog hybrids. *Heredity* 90, 17-24.
721. Vilà, C., Sundqvist, A.K., Flagstad, Ø., Seddon, J., Björnerfeldt, S., Kojola, I., Casulli, A., Sand, H., Wabakken, P., and Ellegren, H. 2003. Rescue of a severely bottlenecked wolf (*Canis lupus*) population by a single immigrant. *Proceedings of the Royal Society B: Biological Sciences* 270, 91-97.
722. Väinölä, R. 2003. Repeated trans-Arctic invasions in littoral bivalves: molecular zoogeography of the *Macoma balthica* complex. *Marine Biology* 143, 935-946.

723. Waits, L., Taberlet, P., Swenson, J.E., Sandegren, F., and Franzen, R. 2000. Nuclear DNA microsatellite analysis of genetic diversity and gene flow in the Scandinavian brown bear (*Ursus arctos*). *Molecular Ecology* 9, 421-431.
724. Walker, C.W., Vilà, C., Landa, A., Lindén, M., and Ellegren, H. 2001. Genetic variation and population structure in Scandinavian wolverine (*Gulo gulo*) populations. *Molecular Ecology* 10, 53-63.
725. Wang, J.Y. and Berggren, P. 1997. Mitochondrial DNA analysis of harbour porpoises (*Phocoena phocoena*) in the Baltic Sea, the Kattegat-Skagerrak Seas and off the west coast of Norway. *Marine Biology* 127, 531-537.
726. Wang, X. and Szmidt, A.E. 1995. Maternal inheritance of mitochondrial DNA in *Pinus*. *Hereditas* 121, 223-224.
727. Wang, X., Szmidt, A.E., and Lu, M.-Z. 1996. Genetic evidence for the presence of cytoplasmic DNA in pollen and megagametophytes and maternal inheritance of mitochondrial DNA in *Pinus*. *Forest Genetics* 3, 37-44.
728. Wang, X.R., Lindgren, D., Szmidt, A.E., and Yazdani, R. 1991. Pollen migration into a seed orchard of *Pinus sylvestris* L. and the methods of its estimation using allozyme markers. *Scandinavian Journal of Forest Research* 6, 379-385.
729. Wang, X.R., Szmidt, A.E., and Lindgren, D. 1991. Allozyme differentiation among populations of *Pinus sylvestris* L. from Sweden and China. *Hereditas* 114, 219-226.
730. Wang, X.R. 1997. Genetic variability in the canker pathogen fungus, *Gremmeniella abietina*. Contribution of sexual compared with asexual reproduction. *Mycological Research* 101, 1195-1201.
731. Wang, X.R., Ennos, R.A., Szmidt, A.E., and Hansson, P. 1997. Genetic variability in the canker pathogen fungus, *Gremmeniella abietina* 2. Fine scale investigation of the population genetic structure. *Canadian Journal of Botany-Revue Canadienne de Botanique* 75, 1460-1469.
732. Wang, X.R., Chhatre, V.E., Nilsson, M.C., Song, W., Zackrisson, O., and Szmidt, A.E. 2003. Island population structure of Norway spruce (*Picea abies*) in northern Sweden. *International Journal of Plant Sciences* 164, 711-717.
733. Wedén, C., Danell, E., Camacho, F.J., and Backlund, A. 2004. The population of the hypogeous fungus *Tuber aestivum* syn. *T-uncinatum* on the island of Gotland. *Mycorrhiza* 14, 19-23.
734. Weibull, P., Ghatnekar, L., Frykman, I., and Bengtsson, B.O. 1986. Electrophoretic variation in *Festuca ovina* L. *Agri Hortique Genetica* 44, 25-37.
735. Weibull, P., Ghatnekar, L., and Bengtsson, B.O. 1991. Genetic variation in commercial varieties and natural populations of sheep's fescue *Festuca ovina* s.l. *Plant Breeding* 107, 203-209.
736. Werlemark, G. 2000. *Genetic variability and reproductive strategies in Nordic dogroses, Rosa section Caninae*. PhD thesis, Swedish University of Agricultural Sciences, Alnarp, Sweden. Acta Universitatis agriculturae Sueciae. Agraria 257.
737. Westerbergh, A. and Saura, A. 1991. Serpentine and the Population Structure of *Silene dioica* (L.) Clairv. (Caryophyllaceae). In: *The Vegetation of Ultramafic (Serpentine) Soils: Proceedings of the First International Conference on Serpentine Ecology (Univ. of California, Davis, 19-22.06.91)*. Baker, A.J.M., Proctor, J., and Reeves, R.D. (eds.), Intercept Ltd, Andover, UK.

738. Westerbergh, A. and Saura, A. 1992. The effect of serpentine on the population structure of *Silene dioica* Caryophyllaceae. *Evolution* 46, 1537-1548.
739. Westerbergh, A. and Saura, A. 1994. Gene flow and pollinator behaviour in *Silene dioica* populations. *Oikos* 71, 215-224.
740. Westerbergh, A. 1994. Serpentine and non-serpentine *Silene dioica* plants do not differ in nickel tolerance. *Plant and Soil* 167, 297-303.
741. Westerbergh, A. and Rune, O. 1996. Genetic relationships among *Silene dioica* (Caryophyllaceae) populations on and off serpentine—a review. *Acta Universitatis Upsaliensis Symbolae Botanicae Upsalienses* 31, 277-284.
742. Widén, B., Cronberg, N., and Widén, M. 1994. Genotypic diversity molecular markers and spatial distribution of genets in clonal plants, a literature survey. *Folia Geobotanica Phytotaxonomica* 29, 245-263.
743. Widén, B. and Widén, M. 2000. Enzyme variation and inheritance in *Glechoma hederacea* (Lamiaceae), a diploidized tetraploid. *Hereditas* 132, 229-241.
744. Widén, B. and Schiemann, K. 2003. The pattern of variation in leaflet shape and reproductive characters in *Lathyrus vernus* (L.) Bernh. (Fabaceae). *Plant Systematics and Evolution* 240, 41-54.
745. Wilding, C.S., Grahame, J., and Mill, P.J. 2001. Correlation of morphological diversity with molecular marker diversity in the rough periwinkle *Littorina saxatilis* (Olivi). *Journal of Shellfish Research* 20, 501-508.
746. Winking, H., Bostelmann, H., and Fredga, K. 1991. Incidence of double-band HSRs in chromosome 1 of the house mouse, *Mus musculus musculus*, from Öland (Sweden): A population study. *Hereditas* 114, 111-116.
747. Wirth, T., Baur, A., and Baur, B. 1997. Mating system and genetic variability in the simultaneously hermaphroditic terrestrial gastropod *Balea perversa* on the Baltic island of Öland, Sweden. *Hereditas* 126, 199-209.
748. Wirth, T. and Bernatchez, L. 2001. Genetic evidence against panmixia in the European eel. *Nature* 409, 1037-1040.
749. Wyttenbach, A., Narain, Y., and Fredga, K. 1999. Genetic structuring and gene flow in a hybrid zone between two chromosome races of the common shrew (*Sorex araneus*, Insectivora) revealed by microsatellites. *Heredity* 82, 79-88.
750. Yazdani, R. and Rudin, D. 1982. Inheritance of fluorescence esterase and B-galactosidase, in haploid and diploid tissues of *Pinus sylvestris* L. *Hereditas* 96, 191-194.
751. Yazdani, R. and Rudin, D. 1982. Isozymes as genetic markers in *Pinus sylvestris* and *Picea abies* K. *Isozyme Bulletin* 15, 118.
752. Yazdani, R. 1985. Genetic structure in natural population of *Pinus sylvestris* L. in Sweden. *Isozyme Bulletin* 18.
753. Yazdani, R., Lindgren, D., and Rudin, D. 1985. Gene dispersion and selfing frequency in a seed-tree stand of *Pinus sylvestris* (L.). In: *Population Genetics in Forestry. Lecture Notes in Biomathematics*. Gregorius, H.R. (ed.), Springer Verlag, pp. 139-154.
754. Yazdani, R., Muona, O., Rudin, D., and Szmidt, A.E. 1985. Genetic structure of a *Pinus sylvestris* seed-tree stand and naturally regenerated understory. *Forest Science* 31, 430-436.
755. Yazdani, R. 1986. Efficiency of artificial mass pollination in a *Pinus sylvestris* seed orchard. In: *Biochemical genetics and legislation of forest reproductive material*.

- Muhs, H. (ed.), *Mitteilungen der Bundesforschungsanstalt für Forst- und Holzwirtschaft*, Hamburg, pp. 21-24.
756. Yazdani, R. 1986. Efficiency of supplemental mass-pollination in a *Pinus sylvestris* (L.) seed orchard. *Isozyme Bulletin* 19, 47.
757. Yazdani, R., Hadders, G., and Szmidt, A.E. 1986. Supplemental mass pollination in a seed orchard of *Pinus sylvestris* L. investigated by isozyme analyses. *Scandinavian Journal of Forest Research* 1, 309-315.
758. Yazdani, R. 1987. Application of isozyme in studying genetic constitution and gene dispersal pattern after natural regeneration in populations of *Pinus sylvestris* (L.). *Isozyme Bulletin* 20, 35.
759. Yazdani, R., Lindgren, D., and Stewart, S. 1989. Gene dispersion within a population of *Pinus sylvestris*. *Scandinavian Journal of Forest Research* 4, 295-306.
760. Yazdani, R. and Lindgren, D. 1991. The impact of self-pollination on production of sound selfed seeds. In: *Biochemical markers in the population genetics of forest trees*. Fineshi, S., Maltovi, M.E., Cannata, F., and Hattemer, H.H. (eds.), SPB Academic Publishing bv., The Hague, Netherlands, pp. 143-147.
761. Yazdani, R. and Lindgren, D. 1991. Variation in pollen contamination in a seed orchard of Scots pine. *Silvae Genetica* 40, 243-246.
762. Yazdani, R. and Lindgren, D. 1992. Gene dispersion after natural regeneration under a widely-spaced seed-tree stand of *Pinus sylvestris* (L.). *Silvae Genetica* 41, 1-5.
763. Zeisset, I. and Beebee, T.J.C. 2001. Determination of biogeographical range: an application of molecular phylogeography to the European pool frog *Rana lessonae*. *Proceedings of the Royal Society B: Biological Sciences* 268, 933-938.
764. Åslund, S. and Rasmuson, M. 1976. Mating behaviour as a fitness component in maintaining allozyme polymorphism in *Drosophila melanogaster*. *Hereditas* 82, 175-178.
765. Åslund, S. 1977. Mating behaviour as a fitness component in maintaining allozyme polymorphism in *Drosophila melanogaster*. II. Selection in the leucine aminopeptidase-A allozyme system. *Hereditas* 87, 261-270.
766. Åslund, S. and Rasmuson, M. 1978. Mating behaviour as a fitness component in maintaining allozyme polymorphism in *Drosophila melanogaster*. III. The amount of variation among allozyme genotypes in the Est-6 and Lap-A allozyme systems. *Hereditas* 89, 29-35.
767. Öst, T. 1997. A mtDNA study of brown trout in the River Dalälven. *Report 27/3, Salmon Research Institute, Älvkarleby, Sweden*. 2 pp. (In Swedish).
768. Öst, T. and Jansson, H. 1998. Genetisk undersökning av öring från Dammen i Kronoparken Vallåsen och från dess utlopp. *Report to Länsstyrelsen i Skåne län, Salmon Research Institute, Älvkarleby, Sweden*. 9 pp. (In Swedish).
769. Öst, T. and Jansson, H. 1998. Genetisk analys av Bågedeöring. *Report to Vattenregleringsföretagen, Salmon Research Institute, Älvkarleby, Sweden*. 10 pp. (In Swedish).
770. Öst, T. 1998. Jämförelse av genetiska data och egenskapsdata mellan Klarälvslox och Gullspångslox av olika ursprung. *Report, Salmon Research Institute, Älvkarleby, Sweden*. 33 pp. (In Swedish).

771. Öst, T. and Jansson, H. 1999. Genetisk undersökning av Gullspångslax från Långhults fiskodling. *Report to Vattenfall AB, Salmon Research Institute, Älvkarleby, Sweden.* 9 pp. (In Swedish).
772. Öst, T. and Jansson, H. 1999. Utredning avseende Ljunganlax. *Report, Salmon Research Institute, Älvkarleby, Sweden.* 17 pp. (In Swedish).
773. Öst, T. and Jansson, H. 2000. Genetisk undersökning av öring från Gävleborgs län. *Report to Länsstyrelsen i Gävleborgs län and Sandvikens kommun, Salmon Research Institute, Älvkarleby, Sweden.* 19 pp. (In Swedish).
774. Öst, T. and Jansson, H. 2001. Genetisk uppföljning av kompensationsodlade lax- och öringstammar. *Report, Salmon Research Institute, Älvkarleby, Sweden.* (In Swedish).
775. Østbye, K., Bernatchez, L., Næsje, T.F., Himberg, K.-J.M., and Hindar, K. 2005. Evolutionary history of the European whitefish *Coregonus lavaretus* (L.) species complex as inferred from mtDNA phylogeography and gill-raker numbers. *Molecular Ecology* 14, 4371-4387.